




Product Catalogue

GF Series



GF Series

500x500mm
500x1000mm

Technical parameter * T =Outdoor

Model	P2.6	P2.97	P3.91	P2.97T	P3.91T	P4.81T
LED Type	SMD1515	SMD1515	SMD2121	SMD1415	SMD1921	SMD1921/SMD2525 can choose
Pixel Pitch (mm)	2.6	2.976	3.906	2.976	3.906	4.807
Pixel Density (dots/m)	147,456	112,896	65,536	112,896	65,536	43,264
Module Size (mm)	250*250	250*250	250*250	250*250	250*250	250*250
Module Resolution (dots)	96*96 500*500*85 / 500*1000*85"	84*84 500*500*85 / 500*1000*85"	64*64 500*500*85/ 500*1000*85"	84*84 500*500*85 / 500*1000*85"	64*64 500*500*85 / 500*1000*85"	52*52 500*500*85 / 500*1000*85"
Cabinet Size (mm)						
Cabinet Weight (KGs)	8.5kg	8.5kg	8.5kg	8.5kg	8.5kg	8.5kg
Refresh Rate (HZ)	3840	3840	3840	3840	3840	3840
Brightness (CD/m)	800-1200	1000-2000	1000-2000	4000-4500	4500-5000	3500-4000
Average Power (W/m)	250	250	250	300	300	300
Driving Method	1/32s	1/28s	1/16s	1/21S	1/16S	1/13S
Viewing Angles (H/V)	160°/160°	160°/160°	160°/160°	160°/160°	160°/160°	160°/160°
IP rate	IP30	IP30	IP30	IP65	IP65	IP65
Working Humidity (RH)		10%-60%			10%~90%	
Working Temperature (°C)			-40°C	~ +80°C		
Installation Types	Sitting/Floor /Lifting/Arc/Special-shaped/Right Angle					

WIRELESS CONNECTED

Automatically connect the screen
without network cables

GF Series

CURRENT-SHARING FOR POWER BACKUP

No black screen phenomenon when
power interrupted + signal backup

Brand-new GF series

Size: 500x500mm

Size: 500x1000mm

Under the criterion of fast installation, its control box, HUB board, receiving card and modules are all used hardwired connection for quick removed and plug-in. It features with all rental led display's necessary processes including full-viewing mask, current-sharing for power backup, anti-collision PCB board

GF Series

TIMES OF NO WIRES & NO TEDIOUS DETAILS

The entire GF series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications

IMMERSIVE
DESIGN

WIRELESS
CONNECTED

NEVER
POWER-OFF

MODULIZED
DESIGN

FRONT
MAINTENANCE

INDEPENDENT
POWER BOX



THE COMBINATION OF SCIENCE AND TECHNOLOGY WITH BLACK SCIENCE
AND TECHNOLOGY IS GF SERIES



WIRELESS CONNECTED


Automatically connect the screen
without network cables



GF Series

Times of no wires & no tedious details

The entire GF series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications




INTEGRATED MODULIZED DESIGN

Dual back-up design of power and signal


GF Series

TIMES OF NO WIRES & NO TEDIOUS DETAILS

The entire GF series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications



<8.5kg



**DEBUT WITH A LIGHT PACK,
WEIGHT 8.5kg ONLY**

Lightweight design . lighter and thinner



GF Series

TIMES OF NO WIRES & NO TEDIOUS DETAILS

The entire GF series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications

Dual back-up design of power and signal

Efficiently solving your stage problems to assure your activities carefree



DUAL FRONT MAINTENANCE DESIGN, EASIER TO MAINTAIN

Simplified maintenance is such easy by dual design


GF Series

TIMES OF NO WIRES & NO TEDIOUS DETAILS

The entire GF series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications


Arc series

-5° -2.5° 0° 2.5° 5°



**SUITABLE FOR ALL ENVIRONMENT, EASY TO HANDLE FOR
90° CUBE/CURVED/FLOOR APPLICATIONS**

Universal products which can meet the basic needs of creative stage



GF Series


TIMES OF NO WIRES & NO TEDIOUS DETAILS

The entire GF series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications

OVERVIEW OF INSTALLATION MODE

Hanging to install

I (max height <10m)



OVERVIEW OF INSTALLATION MODE

Stacking to install


I (max height <10m)



OVERVIEW OF INSTALLATION MODE

Installed as floor

I Use fixed fittings



GF Series

TIMES OF NO WIRES & NO TEDIOUS DETAILS

The entire GF series are dedicated to solve the problems of instant installation, easy maintenance and anti-collision for rental applications

Indoor



Outdoor



Floor



PRODUCT ACCESSORIES

The sign with * is the optional accessories



Power cable



Signal cable



Hanging beam*



Video processor*



Back rack*