




ZHONGSHAN GAONENG LIGHTING TECHNOLOGY CO.,LTD
HONGKONG GAONENG LIGHTING TECHNOLOGY CO.,LTD
ZONENG LIGHTING STORES CHAIN

ADD:NO 26,YONGTAICHANG STREET,XINXU,SANXIANG TOWN,
ZHONGSHAN,GUANGDONG,CHINA

WEB:www.gonengoled.com

Email:info@znengled.com



PICTURE ALBUM

PRODUCT INTRODUCTION

Gonengo
Car Workshop Lights
Designer & Manufacturer



2023

www.gonengoled.com



About us COMPANY PROFILE

Zhongshan Gaoneng Lighting Technology CO.,LTD,the first manufacturer of the car workshop lights in China.With over 100 employees,we are engaging in R&D,production and marketing,and have exported our products to over 40 countries.And certificated with CE,Rohs,SAA,UL,CB...

Having a wide range of patented products of hexagon lights,lighting tunnels,the light box.As a professional supplier of car workshop lights,we served for BYD&TOYOTA and lot s of international projects.

OUR VALUES

Patriotic integrity
Innovation and win-win!

OUR VISION

Create a high quality let
your trusted lighting brand!


OUR MISSION

Create value for customers;
Create benefits for the society.




OUR FACTORY PACKAGING LOGISTICS






ZG/E1011




ZG/E1006



ZG/E1009




ZG/E2015




ZG/A40




ZG/B40





ZG/C100




ZT1018




ZT1028






ZT1038




ZT1048




ZT1058



ZT1068



ZT2018



ZT2028




Hexagon Light

Hexagon light >>>


ZT/C202




Specification Parameter	
Item Code	ZT/C202
Space Size	600mm
Voltage	AC100V-220V
Width	20mm
Power	8W/6W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty



ZT1018





Specification Parameter	
Item Code	ZT1018
Space Size	2433mm/4840mm
Voltage	AC100V-240V
Width	20mm
Power	456W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty










Specification Parameter	
Item Code	ZT6027
Space Size	2433mm*4840mm
Voltage	AC100-240V
Width	20mm
Power	534W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty




Specification Parameter	
Item Code	ZT1028
Space Size	2433mm*4840mm
Voltage	AC100-240V
Width	20mm
Power	552W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty



Specification Parameter	
Item Code	ZT1038
Space Size	2433mm*4840mm
Voltage	AC100-240V
Width	20mm
Power	456W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty





Specification Parameter	
Item Code	ZT1048
Space Size	2433mm*4840mm
Voltage	AC100-240V
Width	20mm
Power	504W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty









Specification Parameter	
Item Code	ZT1058
Space Size	2433mm*4840mm
Voltage	AC100V-240V
Width	20mm
Power	504W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty





Specification Parameter	
Item Code	ZT1068
Space Size	2433mm*4840mm
Voltage	AC220V
Width	20mm
Power	504W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty



Specification Parameter	
Item Code	ZT1088
Space Size	3025mm*4780mm
Voltage	AC100-240V
Width	20mm
Power	576W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty



Specification Parameter	
Item Code	ZT/C203
Space Size	567mm
Voltage	AC100-240V
Width	20mm
Power	8W/0.6m
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty






Square Ceiling Light

Square Ceiling light >>>

ZT2018




Specification Parameter	
Item Code	ZT2018
Space Size	2433mm*4840mm
Voltage	AC100-240V
Width	20mm
Power	512W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty




ZT2028





Specification Parameter	
Item Code	ZT2038
Space Size	2433mm*4840mm
Voltage	AC100V-240V
Width	20mm
Power	448W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty








ZT2038

Specification Parameter	
Item Code	ZT2038
Space Size	2834mm*4840mm
Voltage	AC100-220V
Width	20mm
Power	680W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty






ZT2068

Specification Parameter	
Item Code	ZT2068
Space Size	2433mm*4840mm
Voltage	AC100-240V
Width	20mm
Power	256W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty




ZT2078

Specification Parameter	
Item Code	ZT2078
Space Size	2433mm*4840mm
Voltage	AC100-240V
Width	20mm
Power	288W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty




ZT2088

Specification Parameter	
Item Code	ZT2088
Space Size	2433mm*4840mm
Voltage	AC100V-240V
Width	20mm
Power	384W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty








Specification Parameter	
Item Code	ZT3018
Space Size	2834mm*4840mm
Voltage	AC100-220V
Width	20mm
Power	384W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty





Specification Parameter	
Item Code	ZT3028
Space Size	2433mm*4840mm
Voltage	AC100-240V
Width	20mm
Power	384W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty




Specification Parameter	
Item Code	ZT3038
Space Size	2433mm*4840mm
Voltage	AC100-240V
Width	20mm
Power	384W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty




Specification Parameter	
Item Code	ZT3048
Space Size	2433mm*4840mm
Voltage	AC100V-240V
Width	20mm
Power	552W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty




>>> Square Ceiling light



Specification Parameter	
Item Code	ZTC503
Space Size	997mm*1152mm
Voltage	AC100-240V
Width	80mm
Power	102W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty






Specification Parameter	
Item Code	ZTC505
Space Size	1178mm*2069mm
Voltage	AC100-240V
Width	80mm
Power	163W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty




Square Ceiling light >>>




Specification Parameter	
Item Code	ZT5018
Space Size	2543mm*4897mm
Voltage	AC100V-240V
Width	80mm
Power	725W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty






Specification Parameter	
Item Code	ZT5028
Space Size	2361mm*4714mm
Voltage	AC100-240V
Width	80mm
Power	886W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	6500K(White)
Life Span	50000H/2 years warranty





>>> Square Ceiling light




Specification Parameter	
Item Code	ZT5058
Space Size	2358mm*4710mm
Voltage	AC100-240V
Width	80mm
Power	745W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty





Specification Parameter	
Item Code	ZT5068
Space Size	2350mm*4710mm
Voltage	AC100-240V
Width	80mm
Power	759W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty





Square Ceiling light >>>



Specification Parameter	
Item Code	ZT5078
Space Size	2360mm*4714mm
Voltage	AC100V-240V
Width	80mm
Power	731W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty



Specification Parameter	
Item Code	ZT5088
Space Size	2358mm*4710mm
Voltage	AC100-240V
Width	80mm
Power	731W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	6500K(White)
Life Span	50000H/2 years warranty







Led Work Light

Led Work Light >>>

ZTF510-RGB



Specification Parameter	
Item Code	ZTF510-RGB
Space Size	987mm*894mm
Voltage	AC12V
Width	20mm
Power	11W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	RGB
Life Span	50000H/2 years warranty



Accessories



[5.0] 460mm LightsX6




[2.0] 120°connector(3-pin)X5




[2.0] Y-shape connector(3-pin)X1

ZTF520-RGB



Specification Parameter	
Item Code	ZTF520-RGB
Space Size	1735mm*987mm
Voltage	AC12V
Width	20mm
Power	20W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	RGB
Life Span	50000H/2 years warranty



Accessories



[5.0] 460mm LightsX11





[2.0] 120°connector(3-pin)X7






[2.0] Y-shape connector(3-pin)X3



ZTF530-RGB






Specification Parameter	
Item Code	ZTF530-RGB
Space Size	2548mm*1024mm
Voltage	AC12V
Width	20mm
Power	29W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	RGB
Life Span	50000H/2 years warranty

Accessories	
	
【5.0】 460mm LightsX16	
	
【2.0】 120°connector(3-pin)X9	【2.0】 X-shape connector(3-pin)X5



ZTF531-RGB





Specification Parameter	
Item Code	ZTF531-RGB
Space Size	1707mm*1715mm
Voltage	AC12V
Width	20mm
Power	27W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	RGB
Life Span	50000H/2 years warranty

Accessories	
	
【5.0】 460mm LightsX15	
	
【2.0】 120°connector(3-pin)X8	【2.0】 X-shape connector(3-pin)X5



ZTF540-RGB






Specification Parameter	
Item Code	ZTF540-RGB
Space Size	3389mm*1024mm
Voltage	AC12V
Width	20mm
Power	38W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	RGB
Life Span	50000H/2 years warranty

Accessories	
	
【5.0】 460mm LightsX21	
	
【2.0】 120°connector(3-pin)X11	【2.0】 Y-shape connector(3-pin)X7



ZTF542-RGB




Specification Parameter	
Item Code	ZTF542-RGB
Space Size	1707mm*2444mm
Voltage	AC12V
Width	20mm
Power	34W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	RGB
Life Span	50000H/2 years warranty

Accessories	
	
【5.0】 460mm LightsX19	
	
【2.0】 120°connector(3-pin)X9	【2.0】 Y-shape connector(3-pin)X7



ZTF551-RGB






Specification Parameter	
Item Code	ZTF551-RGB
Space Size	2548mm*1715mm
Voltage	AC12V
Width	20mm
Power	42W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	RGB
Life Span	50000H/2 years warranty

Accessories	
 【5.0】460mm LightsX23	
 【2.0】120°connector(3-pin)X10	 【2.0】Y-shape connector(3-pin)X9



ZTF552-RGB






Specification Parameter	
Item Code	ZTF552-RGB
Space Size	1707mm*2444mm
Voltage	AC12V
Width	20mm
Power	43W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	RGB
Life Span	50000H/2 years warranty

Accessories	
 【5.0】460mm LightsX24	
 【2.0】120°connector(3-pin)X12	 【2.0】Y-shape connector(3-pin)X8



ZTF571-RGB






Specification Parameter	
Item Code	ZTF571-RGB
Space Size	3389mm*1715mm
Voltage	AC12V
Width	20mm
Power	56W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	RGB
Life Span	50000H/2 years warranty

Accessories	
 【5.0】460mm LightsX31	
 【2.0】120°connector(3-pin)X12	 【2.0】Y-shape connector(3-pin)X13


ZTF572-RGB




Specification Parameter	
Item Code	ZTF572-RGB
Space Size	2548mm*2444mm
Voltage	AC12V
Width	20mm
Power	54W
Luminous Flux	110-120lm/w
CRI.	>90
CCT.	RGB
Life Span	50000H/2 years warranty

Accessories	
 【5.0】460mm LightsX30	
 【2.0】120°connector(3-pin)X11	 【2.0】Y-shape connector(3-pin)X13


ZTF563-RGB




Specification Parameter	
Item Code	ZTF563-RGB
Space Size	2576mm*2444mm
Voltage	AC12V
Width	20mm
Power	56W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	RGB
Life Span	50000H/2 years warranty









ZTF582-RGB



Specification Parameter	
Item Code	ZTF582-RGB
Space Size	2576mm*2444mm
Voltage	AC12V
Width	20mm
Power	63W
Luminous Flux	110-120lm/w
CRI.	> 90
CCT.	RGB
Life Span	50000H/2 years warranty



Accessories	
 [5.0] 460mm LightsX31	
 [2.0] 120°connector(3-pin)X15	 [2.0] Y-shape connector(3-pin)X11

Accessories	
 [5.0] 460mm LightsX35	
 [2.0] 120°connector(3-pin)X14	 [2.0] Y-shape connector(3-pin)X15

G8008



Specification Parameter	
Item Code	G8008
Space Size	273mm*218mm*45mm
Voltage	AC100V-240V
Bevel Angle	90°
Power	40W
Luminous Flux	100-120lm/w
IP	65
CCT.	3000K/6000K
Life Span	2 years warranty

G8015




Specification Parameter	
Item Code	G8015
Space Size	260mm*247mm*45mm
Voltage	AC100V-240V
Bevel Angle	90°
Power	50W
Luminous Flux	110-120lm/w
IP	65
CCT.	6000K
Life Span	2 years warranty

G8016



Specification Parameter	
Item Code	G8016
Space Size	220mm*80mm*40mm
Voltage	AC100V-240V
Bevel Angle	90°
Power	50W
Luminous Flux	90-110lm/w
IP	65
CCT.	6000K
Life Span	2 years warranty

ZG-50



Specification Parameter	
Item Code	ZG-50
Space Size	250mm*400mm
Voltage	AC85V-265V
Bevel Angle	180°
Power	50W
Luminous Flux	110-120lm/w
IP	65
CCT.	White
Life Span	2 years warranty