

PIANO
KITCHEN CABINET
CUSTOMIZED WHOLE HOUSE SOLUTION



PRODUCT TECHNICAL MANUAL



STOCK CODE: **002853**

SERVICE HOTLINE: **400-0760-222**

OFFICIAL WEBSITE: **www.pianohomegroup.com**

Guangdong Piano Customized Furniture Co., Ltd.

PIANO
KITCHEN CABINET
CUSTOMIZED WHOLE HOUSE SOLUTION



CON
Z
T
E
N

DOOR PANEL
PRODUCT PROCESS **01**

MELAMINE	03-05
PVC VACUUM	06-11
LACQUER	12-17
WOOD VENEER	18-19
PET	20-21
UV	22-23

HARDWARE
PRODUCT PROCESS **02**

DOOR HANDLE	25-29
CARCASS HANDLE	30-31
ALUMINIUM FRAME MIRROR DOOR	32-33
HINGE	34-38
REBOUNDER	39-40
SLIDE	41-42
LUXURY DRAWER	43
KICKBOARD	44-45
ADJUSTABLE LEG	46-47
BRACKET	48-49
VENTILATION MESH	50-51
LAMP	52-55
TRANSFORMER	56

COUNTERTOP
PRODUCT PROCESS **03**

QUARTZ STONE	59-64
SOLID SURFACE	65-67

ACCESSORY
PRODUCT PROCESS **04**

BASKET	71-72
BASIN&FAUCET	73-76

DOOR PANEL

PRODUCT PROCESS




PRODUCT PROCESS—DOOR PANEL

MELAMINE


PRODUCT DOOR STYLE

DOOR STYLE **D001**

Applicable to all
Melamine door panel



DOOR PROFILE VIEW



DOOR SECTION VIEW

APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE 150≤W≤600 300≤H≤1440	
	DIMENSIONS OF PULL OUT AND LIFT UP DOORS 250≤W≤1200 160≤H≤500	

DOOR STYLE **GCD053**

Applicable to all
Melamine door panel






CHART DIAGRAM



ENLARGED IMAGE OF DOOR SHAPE

APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE 250≤W≤600 250≤H≤1600	
	DIMENSIONS OF PULL OUT AND LIFT UP DOORS 2500≤W≤1200 160≤H≤500	

DOOR COLOR OPTION (MELAMINE DOOR SERIES)




PRODUCT PROCESS—DOOR PANEL
PVC VACUUM


PRODUCT DOOR STYLE

DOOR STYLE D001

Applicable to all
PVC Vacuum door panels



DOOR PROFILE VIEW




DOOR SECTION VIEW


APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	150≤W≤600	300≤H≤1440
APPLICABLE SCOPE	DIMENSIONS OF PULL OUT AND LIFT UP DOORS	
	250≤W≤1200	160≤H≤500

DOOR STYLE **GCD061-1**

Applicable to all
Vacuum base cabinet door panel



DOOR PROFILE VIEW




A-A SECTION VIEW


APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	150≤W≤600	300≤H≤1440
APPLICABLE SCOPE	DIMENSIONS OF PULL OUT AND LIFT UP DOORS	
	150≤W≤600	300≤H≤1440

DOOR STYLE **GCD061-2**

Applicable to all
PVC wall cabinet door panels



DOOR PROFILE VIEW




B-B SECTION VIEW

APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	200≤W≤600	200≤H≤2420
APPLICABLE SCOPE	DIMENSIONS OF PULL OUT AND LIFT UP DOORS	
	200≤W≤1200	200≤H≤500

DOOR STYLE **GCD046**


Applicable to all
PVC Vacuum door panels



APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	$200 \leq W \leq 600$	$200 \leq H \leq 2420$
DIMENSIONS OF PULL OUT AND LIFT UP DOORS		
$200 \leq W \leq 1200$ $200 \leq H \leq 500$		

DOOR STYLE **GCD057**

Applicable to all
PVC Vacuum door panels




APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	$250 \leq W \leq 600$	$300 \leq H \leq 1600$
DIMENSIONS OF PULL OUT AND LIFT UP DOORS		
$200 \leq W \leq 1200$ $160 \leq H \leq 500$		

DOOR COLOR OPTION (PVC VACUUM DOOR SERIES)



DM168-6T



BS70




RB4528-001




RB0014-001



BS14



LH-04



BS77




BS192



D4238-P-C



BS153



LH-01



BS201



C01



C02



BS145



VKNY-7


PRODUCT PROCESS—DOOR PANEL

LACQUER


PRODUCT DOOR STYLE

DOOR STYLE D001

Applicable to all lacquer door panels



DOOR PROFILE VIEW




DOOR SECTION VIEW

APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	150≤W≤600	300≤H≤1440
DIMENSIONS OF PULL OUT AND LIFT UP DOORS		
250≤W≤1200		160≤H≤500

DOOR STYLE **GCD042-1**

Applicable to all
lacquer base cabinet door panels




DETAILED DRAWING OF LOCATON A

APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	150≤W≤600	300≤H≤1440
APPLICABLE SCOPE	DIMENSIONS OF PULL OUT AND LIFT UP DOORS	
	250≤W≤1200	160≤H≤501

DOOR STYLE **GCD042-2**

Applicable to all
Lacquer Wall cabinet door panels




WALL CABINET


APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	150≤W≤600	300≤H≤1440
APPLICABLE SCOPE	DIMENSIONS OF PULL OUT AND LIFT UP DOORS	
	250≤W≤1200	160≤H≤502

DOOR STYLE **GCD056**

Applicable to all
Lacquer Wall cabinet door panels




DOOR PROFILE VIEW



A-A SECTION VIEW

APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	250≤W1200	300≤H≤2420

DOOR COLOR OPTION (LACQUER DOOR SERIES)



Y001

Y-002

Y22A

Y23A



Y24A

164A

160A

GC01L



L-013

L-013

L-011

L-008



177L

Titanium silver

188A

158S

DOOR COLOR OPTION (LACQUER DOOR SERIES)



96S




143S

PRODUCT PROCESS—DOOR PANEL
WOOD VENEER


PRODUCT DOOR STYLE

 DOOR STYLE **D001**

Applicable to all
Wood veneer door panel




DOOR PROFILE VIEW



DOOR SECTION VIEW

APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	150≤W≤600	300≤H≤1440
DIMENSIONS OF PULL OUT AND LIFT UP DOORS		
	250≤W≤1200	160≤H≤500

DOOR COLOR OPTION (WOOD VENEER DOOR SERIES)




PRODUCT PROCESS—DOOR PANEL

PET


PRODUCT DOOR STYLE

DOOR STYLE D001

Applicable to all PET door panel




DOOR PROFILE VIEW



DOOR SECTION VIEW

APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	150≤W≤600	300≤H≤1440
APPLICABLE SCOPE	DIMENSIONS OF PULL OUT AND LIFT UP DOORS	
	250≤W≤1200	160≤H≤500

DOOR COLOR OPTION



HM2039-463T-NY



MF256



HM2040-463T-NY



HM5061-463T-NY



GE-J001



GE-J003



GE1099



PET-N3301-6T



PET-N3501-6T



PET-N3305-6T


PRODUCT PROCESS—DOOR PANEL

UV


PRODUCT DOOR STYLE

DOOR STYLE D001

Applicable to all UV door panel



DOOR PROFILE VIEW




DOOR SECTION VIEW

APPLICABLE SCOPE	SINGLE DOOR SIZE RANGE	
	150≤W≤600	300≤H≤1440
DIMENSIONS OF PULL OUT AND LIFT UP DOORS		
	250≤W≤1200	160≤H≤500

■ DOOR COLOR OPTION



BH218U400



BH218U1008



BP218U4009



UV-87



UV-9



YUV-06







HARDWARE



PRODUCT PROCESS



PRODUCT PROCESS—HARDWARE


DOOR HANDLE






NO	CODE	MATERIAL DESCRIPTION	PIC	SIZE(mm)	SPEC (L*D*Hmm)	REMARK
1	3100002529	Profile G handle SL9115/3000			H: 35 unify with 18mm thickness door panel	matt with Aluminium color
2	3100002621	Profile G matt black handle SL9112/GC/3m/pcs				matt black
3	3100007299	matt black handle SL9211/GC/3m/pcs			H: 38 unify with 18mm thickness door panel	matt with black color , unify with 18mm thickness door panel
4	3100007300	matt black handle LS17/GC/3m/pcs			H: 10 unify with 18mm thickness door panel	
5	3100006296	Build in handle LS01 matt black/GC/L197	   		same width with door panel, open groove	Apply to D001 door profile 18mm thickness door panel Color: matt black
6	3100006297	Build in handle LS01 matt black/GC/L247				
7	3100006298	Build in handle LS01 matt black/GC/L297				
8	3100006299	Build in handle LS01 matt black/GC/L322				
9	3100006300	Build in handle LS01 matt black/GC/L347				
10	3100006301	Build in handle LS01 matt black/GC/L372				
11	3100006302	Build in handle LS01 matt black/GC/L397				
12	3100006303	Build in handle LS01 matt black/GC/L422				
13	3100006305	Build in handle LS01 matt black/GC/L447				

NO	CODE	MATERIAL DESCRIPTION	PIC	SIZE(mm)	SPEC (L*D*Hmm)	REMARK
14	3100006306	Build in handle LS01 matt black/GC/L452	    		same width with door panel, open groove	Apply to D001 door profile 18mm thickness door panel Color: matt black
15	3100006309	Build in handle LS01 matt black/GC/L497				
16	3100006313	Build in handle LS01 matt black/GC/L597				
17	3100006315	Build in handle LS01 matt black/GC/L697				
18	3100006317	Build in handle LS01 matt black/GC/L797				
19	3100006318	Build in handle LS01 matt black/GC/L847	         		H: 32 unify with 18mm thickness door panel	matt black
20	3100006319	Build in handle LS01 matt black/GC/L897				
21	3100011302	handle SL9214 (matt black) /GC/L397				
22	3100011304	handle SL9214 (matt black) /GC/L447				
23	3100011300	handle SL9214 (matt black) /GC/L347				
24	3100011298	handle SL9214 (matt black) /GC/L297				
25	3100011307	handle SL9214 (matt black) /GC/L522				
26	3100014909	handle SL9214 (matt black) /GC/L357				
27	3100014913	handle SL9214 (matt black) /GC/L477				
28	3100016192	handle SL9214 (matt black) /GC/L457				
29	3100016193	handle SL9214 (matt black) /GC/L382				
30	3100013158	handle SL9214 (matt black) /GC/L427				
31	3100011712	handle SL9214 (matt black) /GC/L557				
32	3100012796	handle SL9214 (matt black) /GC/L597				
33	3100011306	handle SL9214 (matt black) /GC/L497				
34	3100013159	handle SL9214 (matt black) /GC/L2197				
35	3100011303	handle SL9214 (matt black) /GC/L422				
36	3100014911	handle SL9214 (matt black) /GC/L417				
37	3100017877	handle SL9214 (matt black) /GC/L517				
38	3100011305	handle SL9214 (matt black) /GC/L472				

PRODUCT PROCESS—HARDWARE






CARCASS HANDLE




NO	CODE	MATERIAL DESCRIPTION	PIC	SIZE(mm)	SPEC (L*D*Hmm)	REMARK
39	3100011308	handle SL9214 (matt black) /GC/L547				
40	3100013267	handle SL9214 (matt black) /GC/L402				
41	3100011297	handle SL9214 (matt black) /GC/L247				
42	3100018740	handle SL9214 (matt black) /GC/L437				
43	3100014912	handle SL9214 (matt black) /GC/L467				
44	3100015226	handle SL9214 (matt black) /GC/L412				
45	3100017226	handle SL9214 (matt black) /GC/L667				
46	3100017227	handle SL9214 (matt black) /GC/L1597				
47	3100017776	handle SL9214 (matt black) /GC/L572				
48	3100011301	handle SL9214 (matt black) /GC/L372				
49	3100011296	handle SL9214 (matt black) /GC/L197				
50	3100011714	handle SL9214 (matt black) /GC/L897				
51	3100013279	handle SL9214 (matt black) /GC/L2147				
52	3100017775	handle SL9214 (matt black) /GC/L327				
53	3100017878	handle SL9214 (matt black) /GC/L307				
54	3100014910	handle SL9214 (matt black) /GC/L377				
55	3100011709	handle SL9214 (matt black) /GC/L367				
56	3100011713	handle SL9214 (matt black) /GC/L797				
57	3100012878	handle SL9214 (matt black) /GC/L147				
58	3100011765	handle SL9214 (matt black) /GC/L697				
					H: 32 unify with 18mm thickness door panel	matt black



NO	CODE	MATERIAL DESCRIPTION	PIC	SIZE	SPEC	REMARK
1	3100002510	handle Y120-16/L3000*W27*H20			16/Snap-in, not with rubber strip	matt with Aluminium color
2	3100002511	handle Y120-18/L3000*W27*H22			18/Snap-in, not with rubber strip	
3	3100002574	Aluminium bar handle TYGY-6196 matt white/GC/3m/pcs			16/Snap-in, with rubber strip	
4	3100002585	handle Y120-18JT with rubber strip/L3000*W27*H20			18/Snap-in, with rubber strip	
5	3100007289	matt black handle LS20-16 with rubber strip/GC/3m/pcs			16/Snap-in, with rubber strip	matt black
6	3100007290	matt black handle LS20-18 with rubber strip/GC/3m/pcs			18/Snap-in, with rubber strip	
7	3100002526	handle Y740C/4.7m/pcs			L*26*57 not with rubber strip	matt with Aluminium color
8	3100015566	Aluminium bar handle Y740 glossy light grey/GC/3M/pcs				Iron grey color
9	3100002593	Aluminium bar handle Y740 matt black/GC/4.7m/pcs				matt black

PRODUCT PROCESS—HARDWARE

ALUMINIUM FRAME MIRROR DOOR

NO	CODE	MATERIAL DESCRIPTION	PIC	SIZE	SPEC	REMARK
10	3100002527	handle Y750C/4.7m/pcs			L*26*74 not with rubber strip	matt with Aluminium color
11	3100015567	Aluminium bar handle Y750 glossy light grey/GC/3M/pcs	/			Iron grey color
12	3100002594	Aluminium bar handle Y750 matt black/GC/4.7m/pcs				matt black
13	3100002508	handle Y760/4.7m/pcs			L*22*55 with rubber strip	matt with Aluminium color
14	3100007287	Aluminium bar handle Y760 with rubber strip matt black/GC/4.7m/pcs				matt black
15	3100002509	handle Y780/4.7m/pcs			L*22*70 with rubber strip	matt with Aluminium color
16	3100007288	matt black handle Y780 with rubber strip/GC/4.7m/pcs				matt black

NO	CODE	MATERIAL DESCRIPTION	PIC	SPEC	SIZE	REMARK
1	2100000251	Glossy aluminium frame silver mirror T8992C			Material: aluminium alloy Technic: Oxide Glass: 4mm silver mirror single doorSize: 150≤W≤600	
2	2100000133	Silver color aluminium frame silver mirror T8992C/D4				
3	2100001383	Glossy aluminium frame anti froggy silver mirror T8992C				
4	2100004121	matt black aluminium frame silver mirror LK18 (4mm mirror) /GC/D20				Material: aluminium alloy Technic: Spray Color: matt black Glass: 4mm silver mirror single doorSize: 150≤W≤600

NO	CODE	MATERIAL DESCRIPTION	PIC	SPEC	SIZE	REMARK
5	2100002720	High gloss aluminium frame double side mirror LK04/GC/D22			Material: aluminium alloy Technic: Oxide Silver mirror: 3+4mm Character: double side mirror、frameless	
6	2100010015	Matt aluminium frame double side mirror LK04/GC/D22				
7	2100011164	High gloss aluminium frame double side mirror +Touch switch LK05/GC/D22			Character: double side mirror、frameless、 Touch switch Power: 12V	Switch use to control the light beside the mirror door
8	2100002721	High gloss aluminium frame double side mirror single side frosted light strip+Touch switch (4000K)LK05/GC/D22				

PRODUCT PROCESS—HARDWARE

HINGE

NO	CODE	MATERIAL DESCRIPTION	PIC	BRAND
1	3100003448	BLUM semi quick assembly full overlay hinge		BLUM
2	3100003449	BLUMsemi quick assemble half overlay hinge		
3	3100003457	BLUM no overlay hinge (YMJB-18N)		
4	3100003462	BLUM top quick assemble with damper full overlay hinge BMJ-01		
5	3100003460	BLUM top quick assemble with damper half overlay hinge BMJ-02		

NO	CODE	MATERIAL DESCRIPTION	PIC	BRAND
6	3100006583	HETTICH quick assemblefull overlay hinge 9943/GC		HETTICH
7	3100006584	HETTICH quick assemble half overlay hinge 9943/GC		
8	3100015979	HETTICH quick assemble with damper no overlay hinge 8848/GC		
9	3100015977	HETTICH quick assemble with damper full overlay hinge 8848/GC		
10	3100015978	HETTICH quick assemble with damper half overlay hinge 8848/GC		
11	3100015979	HETTICH quick assemble with damper no overlay hinge 8848/GC		


NO	CODE	MATERIAL DESCRIPTION	PIC	BRAND
12	3100006588	HETTICH integrated with damper full overlay hinge S-8645i-T52/52H -B12,5/GC		HETTICH
13	3100006589	HETTICH integrated with damper half overlay hinge S-8645i-T52/52H -B12,5/GC		
14	3100006590	HETTICH integrated with damper no overlay hinge S-8645i-T52/52H -B12,5/GC		
15	3100012615	DTC normal snap-in assemble full overlay hinge /GC		CHINA TOP BRAND
16	3100012616	DTC normal snap-in assemble half overlay hinge /GC		
17	3100012617	DTC normal snap-in assemble no overlay hinge /GC		

NO	CODE	MATERIAL DESCRIPTION	PIC	BRAND
18	3100003470	DTC with damper inegrated full overlay hinge (straight arm)		CHINA TOP BRAND
19	3100003469	DTC half overlay soft close hinge(medium)		
20	3100003473	DTCno overlay hinge		
21	3100015341	DTCfull overlay fix assemble with damper hinge C85A2A64H/GC		
22	3100016221	DTC half overlay fix assemble with damper hinge C85B2A64H/GC		
23	3100016222	DTCno overlay fix assemble with damper hinge C85C2A64H/GC		

NO	CODE	MATERIAL DESCRIPTION	PIC	BRAND
24	3100010129	Hafele full overlay Snap-in assemble hinge /GC		HAFELE
25	3100010126	Hafele full overlay Snap-in assemble with damper hinge /GC		
26	3100010130	Hafele half overlay Snap-in assemblehinge /GC		
27	3100010127	Hafele half overlay Snap-in assemble with damper hinge /GC		
28	3100010131	Hafele no overlay Snap-in assemblehinge /GC		
29	3100010128	Hafele no overlay Snap-in assemble with damper hinge /GC		

PRODUCT PROCESS—HARDWARE

REBOUNDER

NO	MATERIAL CODE	REBOUND ER CODE	PIC	SIZE	REMARK
1	3100004050	Light grey color door panel Rebound er GM401-002/W15*L85*H18		Exterior:L79×W14 Interior Core:L69×φ10	Allow for build in install
2	3100012882	DTC Rebound er MS-B04A/GC		Rebound Size:M=39.7	soft plastic head
3	3100016225	DTCLong magnet Rebound er MS-B01A/GC		Rebound Size:M=39.7	Magnet head
4	3100003493	Grey Rebounder DC4053A-6		Material : Plastic Color:Grey	Magnet head
5	3100003494	Rebounder			

NO	MATERIAL CODE	REBOUND ER CODE	PIC	SIZE	REMARK
6	3100010961	BLUM Rebound er (Upgrade type)			
7	3100006277	Hafele Rebound er 356.05.142/GC			

PRODUCT PROCESS — **HARDWARE**

SLIDE

NO	CODE	MATERIAL DESCRIPTION	PIC	MATERIAL	SIZE	BRAND	REMARK
1	3100003681	DTC 10 inch 3 section with damper rolling ball slide/D250		Material: Zinc steel Technic: Coated black	45mm	CHINA TOP BRAND	1:0.75 pull out ratio
2	3100007743	DTC 12 inch 3 section with damper rolling ball slideGC-DTC-D300		Material: Zinc steel Technic: Coated black Heavy capacity: 45KG			1:0.93 pull out ratio
3	3100007183	DTC 14 inch 3 section with damper rolling ball slide/D350					full pull out
4	3100003011	DTC 16 inch 3 section with damper rolling ball slideGC-DTC-D400					full pull out
5	3100007744	DTC 18 inch 3 section with damper rolling ball slide/GC/D450					full pull out
6	3100003245	DTC 20 inch 3 section with damper rolling ball slideGC-DTC-D500					full pull out
7	3100007536	HETTICH 12 inch full pull out with damper 3 section rolling ball slide KA5632/GC/D300		Material: Zinc steel Technic: Coated black	45mm	HETTICH	full pull out
8	3100007537	HETTICH14 inch full pull out with damper 3 section rolling ball slide KA5632/GC/D350					full pull out
9	3100007538	HETTICH16 inch full pull out with damper 3 section rolling ball slide KA5632/GC/D400					full pull out
10	3100007539	HETTICH18 inch full pull out with damper 3 section rolling ball slide KA5632/GC/D450					full pull out
11	3100007540	HETTICH20 inch full pull out with damper 3 section rolling ball slide KA5632/GC/D500					full pull out

NO	CODE	MATERIAL DESCRIPTION	PIC	MATERIAL	SIZE	BRAND	REMARK
12	3100003016	DTC soft close bottom slide (10inch) MYH-23	 	Surface: Zinc steel Heavy capacity: 25K	10 inch	CHINA TOP BRAND	250mm
13	3100003017	DTC soft close bottom slide (12 inch) MYH-19		Surface: Zinc steel Heavy capacity: 35KG	12 inch		300mm
14	3100017225	DTC bottom full pull out 3 section slide 14 inch SS10350H1/GC			14 inch		350mm
15	3100016224	DTC bottom full pull out 3 section slide 16 inch SS10400H1/GC			16 inch		400mm
16	3100016223	DTC bottom full pull out 3 section slide 18 inch SS10450H1/GC			18 inch		450mm
17	3100015342	DTC bottom full pull out 3 section slide 20 inch SS10500H1/GC			20 inch		500mm
18	3100004156	Zinc steel full pull out bottom slide GD210-501/L250		Material: Zinc steel Technic: Nickel plated matt (project option)	10 inch	HETTICH	full pull out
19	3100004157	Zinc steel full pull out bottom slide GD212-501/L300			12 inch		full pull out
20	3100004158	Zinc steel full pull out bottom slide GD214-501/L350			14 inch		full pull out
21	3100004159	Zinc steel full pull out bottom slide GD216-501/L400			16 inch		full pull out
22	3100004160	Zinc steel full pull out bottom slide GD218-501/L450			18 inch		full pull out
23	3100007614	Zinc steel full pull out bottom slide GD220-501/L500			20 inch		full pull out

PRODUCT PROCESS—HARDWARE

LUXURY DRAWER

NO	CODE	MATERIAL DESCRIPTION	PIC	MATERIAL	SIZE	BRAND	REMARK
1	3100013674	HETTICH Atira luxury lower drawer 70 height silver frame/GC/470MM		steel drawer	H70*L470	HETTICH	project option Pull out 4/5
2	3100013675	HETTICH Atira luxury pot&owl high drawer 144 height silver frame/GC/470MM		steel drawer	H144*L470		
3	3100011920	DTC luxury lower drawer -350/GC/H84		steel drawer	H84*L350	CHINA TOP BRAND	full pull out
4	3100007876	DTC luxury lower drawer -450/H84		steel drawer	H84*L450		
5	3100007878	DTC luxury high drawer -450/H199		steel drawer	H199*L450		
6	3100007748	BLUM luxury lower drawer PBC-01/GC/L270		steel drawer	Depth:270mm Drawer side height 84mm	BLUM	

PRODUCT PROCESS—HARDWARE

KICKBOARD

NO	MATERIAL	SIZE	CODE	MATERIAL DESCRIPTION	PIC	REMARK
1	Plastic kickboard	H80	3100002622	Plastic kickboard silver grey/GC/H80/3m/pcs		
2			3100002606	Plastic kickboard black grain/GC/H80/3m/pcs		
3		H100	3100002577	Plastic kickboard/H100,3m/pcs		
4			3100010752	Plastic kickboard matt black grain AL02/GC/H100/3m/pcs		
5	aluminium alloy kickboard	H80	3100002611	aluminium alloy kickboard SL1650 matt grain /GC/H80/3m/		
6			3100002653	aluminium alloy kickboard PJX80/6m/pcs		
7			3100002609	aluminium alloy kickboard SL1638 matt plate/GC/H80/3m/pcs		

NO	MATERIAL	SIZE	CODE	MATERIAL DESCRIPTION	PIC	REMARK
8	aluminium alloy kickboard	H80	3100002610	aluminium alloy kickboard SL1638 matt black plate/GC/H80/3m/pcs		
9		H100	3100002649	aluminium alloy kickboard PJX001/6m/pcs		
10			3100002654	Black aluminium alloy kickboard PJX022/6m/pcs		Gloss black
11			3100002658	aluminium alloy kickboard PJX061/100/6m/pcs		matt black

PRODUCT PROCESS—HARDWARE
ADJUSTABLE LEG

NO	MATERIAL	SIZE	CODE	MATERIAL DESCRIPTION	PIC	REMARK
1	3100003937		H80	Plastic adjustable leg Black /GC/H80		
2	3100004119			Plastic adjustable leg /GC/H80		
3	3100003550	Plasticpcs leg	H100	Plastic adjustable leg 100 height		
4	3100004080			Plastic adjustable leg /GC/H100		
5	3100012175		H60	Plastic adjustable leg Black /GC/H60		unnormal
6	3100004079		H120	Black Plastic adjustable leg MZ130-12/GC/H120		unnormal

PRODUCT PROCESS—HARDWARE
BRACKET



NO	MATERIAL	SIZE	CODE	MATERIAL DESCRIPTION	PIC	REMARK
7	3100003544	aluminium alloy pcs leg	H150	150 height aluminium alloy adjustable leg HHE-053 /H150		
8	3100003773		H200	height round aluminium alloy adjustable leg /GC/H200		
9	3100007035			round aluminium alloy adjustable leg GJ04/GC/H200		
10	3100007574			Squarealuminium alloy adjustable leg GJ13/GC/H200		

NO	POSITION	CATEGORY	CODE	MATERIAL DESCRIPTION	PIC	MATERIAL	SIZE	REMARK
1	KITCHEN	Visible install	3100003640	With cover Plastic bracket(no LOGO)		unify with white cover	Heavy weight loading capacity: 50KG	
2			3100003642	Brown visible install bracket (no LOGO)		Brown plastic cover	Heavy weight loading capacity: 50KG	
3		Conceal install	3100003636	Conceal bracket 110-03		unify with white cover	Heavy weight loading capacity: 80KG	
4	BATHROOM	Triangle bracket	3100003672	White lacquer Triangle Iron plate HHCJL-B-0178/119*119*14.2		Material: Iron Technic: Lacquer Surface: white	119×119×14×2.0	
5			3100003728	White lacquer Triangle Iron plate /160*160*216*1.8		Material: Iron Technic: Lacquer Surface: white	160×160×14×1.8	

NO	POSITION	CATEGORY	CODE	MATERIAL DESCRIPTION	PIC	MATERIAL	SIZE	REMARK
6	BATHROOM	Heavy bracket	3100004469	white spray shape Z accessory PJM05 - 3/L89*W61*H23		Material: Iron Technic: Lacquer Surface: white	89×61×23	Package , 1 set unify with 2 pcs Z shape accessory +1 left bracket+1 pcs right bracket, backside install height ≥ 80mm
7			3100004467	white spray Iron bracket (left) PJM05 - 1/101*101*79			101×101×79	
8			3100004468	white pray Iron bracket (right) PJM05 - 2/101*101*79			101×101×79	
9			3100003637	Heavy bracket/DM05 bracket(2pcs)		silver grey plastic cover	Heavy weight loading capacity: 100KG	Ranked fourth in annual usage


PRODUCT PROCESS—HARDWARE


VENTILATION MESH

NO	MATERIAL CODE	MATERIAL DESCRIPTION	PIC	MATERIAL	SIZE	REMARK
1	3100015701	aluminium alloy ventilation mesh HHB260/GC/200*60		aluminium alloy silver	200*60	
2	3100003659	aluminium alloy ventilation mesh HHB260/225*60			225*60	
3	3100010957	aluminium alloy ventilation mesh HHB260A/GC/300*60			300*60	
4	3100007662	aluminium alloy ventilation mesh HHB-260A/400*60			400*60	
5	3100003831	aluminium alloy ventilation mesh /500*60			500*60	
6	3100003832	aluminium alloy ventilation mesh /600*60			600*60	
7	3100003658	aluminium alloy ventilation mesh HHB-260/200*80			200*80	
8	3100010958	aluminium alloy ventilation mesh HHB260/GC/300*80			300*80	
9	3100007677	aluminium alloy ventilation mesh matt blackHHB -260A/225*60		aluminium alloy matt black	225*60	
10	3100015214	aluminium alloy ventilation mesh matt blackHHB-260A/GC/300*60			300*60	
11	3100007680	aluminium alloy ventilation mesh matt blackHHB261/500*60			500*60	
12	3100007679	aluminium alloy ventilation mesh matt blackHHB-260A/600*60			600*60	

PRODUCT PROCESS—HARDWARE

LAMP

NO	MATERIAL CODE	MATERIAL DESCRIPTION	PIC	MATERIAL	SIZE	REMARK
13	3100003655	ventilation mesh PQ02/KD317B8		aluminium alloy silver	Hole:121*16	Carcass
14	3100003673	ventilation mesh grey PlasticGC-PQ14/GC/205*37		Plasticgrey	Hole:180*30	
15	3100003656	round ventilation mesh HHB 272/Hole diameter 35		Stain-less steel high gloss	SPEC:42 Hole::35	on site installati on

NO	CODE	MATERIAL DESCRIPTION	PIC	DESCRIPTION	SIZE	REMARK
1	3100011452	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L217	 	Light source: SMD2835 Light ball: 120PCS/m Color temperature: 3000K Switch: Hand induction Wire length: 3m Dupont terminal Function: 2.4mm groove Use for 16mm carcass without handle , Lamp shine downward	Power : 1.3w	
2	3100011453	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L267			Power : 1.8w	
3	3100011454	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L317			Power : 2.3w	
4	3100011455	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L367			Power : 2.8w	
5	3100011456	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L417			Power : 3.3w	
6	3100011457	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L467			Power : 3.8w	
7	3100011458	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L517			Power : 4.3w	
8	3100011459	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L567			Power : 4.8w	
9	3100011460	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L617			Power : 5.3w	
10	3100011461	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L667			Power : 5.8w	
11	3100011462	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L717			Power : 6.3w	
12	3100011463	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L767			Power : 6.8w	
13	3100011464	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L817			Power : 7.3w	
14	3100011465	Wall cab hand-induction bottom panel light DJ04 -16(4000K)/GC/L867			Power : 7.8w	

NO	CODE	MATERIAL DESCRIPTION	PIC	DESCRIPTION	SIZE	REMARK
15	3100020499	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L180		Light ball: 120PCS/m Color temperature: 3000K Switch: Hand induction Wire length: 2m	Power10 W/m	
16	3100020512	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L250			Power10 W/m	
17	3100020500	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L300			Power10 W/m	
18	3100020513	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L350			Power10 W/m	
19	3100020501	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L400			Power10 W/m	
20	3100020514	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L450			Power10 W/m	
21	3100020502	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L500			Power10 W/m	
22	3100020515	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L550			Power10 W/m	
23	3100020503	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L600			Power10 W/m	
24	3100020511	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L650			Power10 W/m	
25	3100020504	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L700			Power10 W/m	
26	3100020516	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L750			Power10 W/m	
27	3100020505	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L800			Power10 W/m	
28	3100020517	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L850			Power10 W/m	
29	3100020506	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L900			Power10 W/m	
30	3100020518	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L950			Power10 W/m	
31	3100020507	(Clip-on)Build-in hand induction bottom panel light DJ08(3000K)/GC/L1000			Power10 W/m	

NO	CODE	MATERIAL DESCRIPTION	PIC	DESCRIPTION	SIZE	REMARK
32	3100018829	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L180		Light ball: 120PCS/m Color temperature: 4000K Switch: Hand induction Wire length: 2m	Power10 W/m	
33	3100018851	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L200			Power10 W/m	
34	3100018842	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L250			Power10 W/m	
35	3100018830	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L300			Power10 W/m	
36	3100018843	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L350			Power10 W/m	
37	3100018831	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L400			Power10 W/m	
38	3100018844	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L450			Power10 W/m	
39	3100018832	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L500			Power10 W/m	
40	3100018845	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L550			Power10 W/m	
41	3100018833	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L600			Power10 W/m	
42	3100018841	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L650			Power10 W/m	
43	3100018834	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L700			Power10 W/m	
44	3100018847	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L750			Power10 W/m	
45	3100018835	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L800			Power10 W/m	
46	3100018848	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L850			Power10 W/m	
47	3100018836	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L900			Power10 W/m	
48	3100018849	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L950			Power10 W/m	
49	3100018837	(Clip-on)Build-in hand induction bottom panel light DJ08(4000K)/GC/L1000			Power10 W/m	

NO	CODE	MATERIAL DESCRIPTION	PIC	DESCRIPTION	SIZE	REMARK
50	3100007461	Visible installed acrylic LED light DJ12(4000K)/GC/L800*W18*D20		Light source: SMD2835 Light ball: 120PCS/m Color temperature: 4000K notSwitch Wire length: 2mDup ont terminal, acrylic translucent strip	Power : 7.5w	
51	3100005658	Visible installed acrylic LED light DJ12(4000K)/GC/L900*W18*D20			Power : 8.4w	
52	3100005619	Visible installed LED spotlight STD-CGD(4000k)/GC/ Φ60*7		Light source: SMD2835 Light ball: Color temperature: 4000K Switch: notSwitch Wire length: 2mDupont terminal Function: Visible install, Wire concealed cutting size≤130mm	Size: : φ 60×7 Power : 1.8w	

PRODUCT PROCESS—HARDWARE

TRANSFORMER

NO	CODE	MATERIAL DESCRIPTION	PIC	MATERIAL	SIZE	REMARK
1	3100010848	12W transformer(1.5m Wire length,7 pcs dupont wire head)		1.5m Wire length, 7 pcs dupont wire head, 1 pcs induction wire head	Power 12W	Take off the Yellow label and connect with induction head,use to connect the induction accessory to control the lamp
2	3100010849	18W transformer(1.5m Wire length,7 pcs dupont wire head)/GC			Power 18W	
3	3100010850	24W transformer(1.5m Wire length,7 pcs dupont wire head)			Power 24W	

COUNTERTOP

PRODUCT PROCESS



PRODUCT PROCESS — COUNTERTOP

QUARTZ STONE



■ QUARTZ STONE EDGE PROFILE SECTION VIEW

NO	TECHNIC CODE	THICKNESS	STRUCTURE VIEW	REMARK
1	YTM-01	40		1.Max Chamfer R30 2.Allow to process arch countertop 3.Applicable for 15/20mm thickness quartz stone
2	YTM-02	40		1.Max Chamfer R15 2.Not allow to process arch countertop 3.Applicable for 15/20mm thickness quartz stone
3	YTM-03	40		1.Max Chamfer R20 2.Not Allow to process arch countertop 3.Applicable for 15/20mm thickness quartz stone
4	YTM-04	40		1.Max Chamfer R50 2.Allow to process arch countertop 3.Applicable for 15/20mm thickness quartz stone

■ QUARTZ STONE LARGE GRAINED SERIES



PTM01



PTM02



PTM03



PTM04



PTM05



PTM06



PTM07



PTM08



PTM09



PTM10




PTM11



PTM12

■ QUARTZ STONE SMALL GRAINED SERIES



PTM14



PTM15



PTM16



PTM17



PTM18



PTM19

■ QUARTZ STONE PURE COLOR SERIES



PTM13



PTM20



PTM21

■ QUARTZ STONE FINE PATTERNED PLATE



PTM22



PTM23



PTM24



PTM25




PTM26



PTM27

■ QUARTZ STONE BIG TEXTURE SERIES



PTM28



PTM29

■ QUARTZ STONE COLOR CLASSIFICATION

NO	COLOR CLASSIFICATION	GRAIN SIZE	PIC	
1	Single color big grain	Mainly composed of < 40 mesh size quartz stone		
2	Single color medium grain	Mainly composed of 40-71 mesh size quartz stone		
3	Single color small grain	Mainly composed of 71-120 mesh size quartz stone		
4	Pure color	Mainly composed of > 121 mesh size quartz stone		
5	Thin texture	Mainly composed of > 70 mesh size quartz stone; Surface is mainly composed of long and thin texture with designed trends, accompany with evenly and unevenly distributed short texture.		
6	Big texture	Mainly composed of > 70 mesh size quartz stone; The texture is randomly distributed, or imitates natural stone patterns. The components of the pattern are randomly combined and unevenly distributed by iiregular long lines, lumps and other texture.		

PRODUCT PROCESS — COUNTERTOP

SOLID SURFACE



SOLID SURFACE EDGE PROFILE SECTION VIEW

NO	PROFILE NAME	TECHNIC CODE	THICKNESS	STRUCTURE VIEW
1	38 straight edge water proof skirting	TM-01	38mm	
	50 straight edge water proof skirting		50mm	
2	38 Straight edge	TM-02	38mm	
	50 Straight edge		50mm	
3	50 front warp edge + straight back splash	TM-03	50mm	

SOLID SURFACE SERIES



GF1030



GF2030



GF8880




GF6810



GF7020



GF4332



F4333




F8810



F8300



GF5650




GF4335



F5040

ACCESSORY

PRODUCT PROCESS



PRODUCT PROCESS—ACCESSORY

BASKET

NO	TYPE	CODE	MATERIAL DESCRIPTION	PIC	MATERIAL	SIZE	REMARK
1	Super narrow basket	3100007759	Platinum supper narrow basket dry plating 304098AP left/GC/150 width cabinet		Material: Carbon steel Technic: dry plating Surface: grey	W95 ×D462 × H505mm	1 basket for 1 cabinet
2		3100013146	Platinum supper narrow basket dry plating 304098AP right/GC/150 width cabinet			W95 ×D462 × H505mm	
3		3100007760	Platinum supper narrow basket dry plating 304099AP left/GC/200 width cabinet			W145 ×D462 ×H505mm	
4		3100011762	Platinum supper narrow basket dry plating 304099AP right/GC/200 width cabinet			W145 ×D462 ×H505mm	
5	spice basket	3100015327	306181 dry plating spice basket/GC/300 width cabinet		Material: Carbon steel Technic: dry plating Surface: grey	W237 ×D465 ×H422mm	1 basket for 1 cabinet
6		3100015328	306182 dry plating spice basket/GC/350 width cabinet			W287 ×D465 ×H422mm	
7		3100015329	306183 dry plating spice basket/GC/400 width cabinet			W337 ×D465 ×H422mm	
8		3100015330	306184 dry plating spice basket/GC/450 width cabinet			W387 ×D465 ×H422mm	

NO	TYPE	CODE	MATERIAL DESCRIPTION	PIC	MATERIAL	SIZE	REMARK
9	Bowl bakset+ plain net basket	3100015331	303271 dry plating basket/GC/600 width cabinet		Material: Carbon steel Technic: dry plating Surface: grey	600 width cabinet	2 baskets for 1 cabinet 1 drain tray
10		3100015332	303272 dry plating 3 side basket/GC/700 width cabinet			700 width cabinet	
11		3100015333	303273 dry plating 3 side basket/GC/750 width cabinet			750 width cabinet	
12		3100015334	303274 dry plating 3 side basket/GC/800 width cabinet			800 width cabinet	
13		3100015335	303275 dry plating 3 side basket/GC/900 width cabinet			900 width cabinet	

PRODUCT PROCESS—ACCESSORY

BASIN&FAUCET

NO	CATEGORY	CODE	DESCRIPTION OF MATERIALS	PICTURE	MATERIAL	SIZE ARGUMENT	REMARK
1	Basin	2041D	Project Basin 2041D		Material : sus304 Stainless steels Technology : One-piece stretch molding	Exterior Size : 760*430*210mm Cut-out Size : 735*405mm Radian : R10 Thickness : 0.8mm	
2	Basin	2002B	Project Basin 2002B		Material : sus304 Stainless steels Technology : One-piece stretch molding	Exterior Size : 780*430*210mm Cut-out Size : 760*410mm Radian : R10 Thickness : 0.8mm	
3	Basin	2007D	Project Basin 2007D		Material : sus304 Stainless steels Technology : One-piece stretch molding	Exterior Size : 820*450*210mm Cut-out Size : 795*425mm Radian : R10 Thickness : 0.8mm	
4	Basin	1006L	Project Basin 1016D		Material : sus304 Stainless steels Technology : One-piece stretch molding	Exterior Size : 500*460*185mm Cut-out Size : 475*435mm Radian : R30 Thickness : 0.8mm	

NO	CATEGORY	CODE	DESCRIPTION OF MATERIALS	PICTURE	MATERIAL	SIZE ARGUMENT	REMARK
5	Basin	1009L	Project Basin 1018D		Material : sus304 Stainless steels Technology : One-piece stretch molding	Exterior Size : 580*480*200mm Cut-out Size : 555*455mm Radian : R40 Thickness : 0.8mm	
6	Basin	1018D	Project Basin 1018D		Material : sus304 Stainless steels Technology : One-piece stretch molding	Exterior Size : 665*440*220mm Cut-out Size : 640*415mm Radian : R10 Thickness : 0.8mm	
7	Basin	1022D	Project Basin 1022D		Material : sus304 Stainless steels Technology : One-piece stretch molding	Exterior Size : 760*460*230mm Cut-out Size : 735*435mm Radian : R40 Thickness : 1.0mm	
8	Basin	1027D	Project Basin 1027D		Material : sus304 Stainless steels Technology : One-piece stretch molding	Exterior Size : 850*480*215mm Cut-out Size : 825*455mm Radian : R10 Thickness : 1.0mm	

NO	CATEGORY	CODE	DESCRIPTION OF MATERIALS	PICTURE	MATERIAL	SIZE ARGUMENT	REMARK
9	Faucet	569	Project Faucet 569		Stainless steels	Exterior Size : 215*375	General type
10	Faucet	5715	Project Faucet 5715		Stainless steels- drawbench	Exterior Size : 255*430	Pull out type
11	Faucet	559	Project Faucet 559		Stainless steels	Exterior Size : 211*360	General type
12	Faucet	1211	Project Faucet 1211		Stainless steels	Exterior Size : 233*470	Pull out type
13	Faucet	1212	Project Faucet 1214		Stainless steels	Exterior Size : 222*470	Pull out type
14	Draining basket	L-01	Draining basket L-01		Stainless steels	Size : 325*221*80mm	
15	Draining basket	L-07	Draining basket L-07		Stainless steels	Size : 326*312*80mm	

NO	CATEGORY	CODE	DESCRIPTION OF MATERIALS	PICTURE	MATERIAL	SIZE ARGUMENT	REMARK
16	Draining basket	L-17	Draining basket L-17		Stainless steels	Size : 356*330*80mm	
17	Draining basket	103	Draining basket0103		Stainless steels	Size : 359*264*130mm	
18	Cutting board	105	Cutting board105		Soild wood	Size : 390*260*20mm	
19	Cutting board	323	Cutting board323		Soild wood	Size : 360*280*20mm	
20	Cutting board	327	Cutting board327		Soild wood	Size : 428*260*20mm	
21	Soap dispenser	6	Soap dispenser 06		Stainless steels+Plastics		

