

FOCUS ON

DOORS AND WINDOWS



110A

BROKEN BRIDGE INSIDE AND OUTSIDE FLAT FRAME WINDOW

110A 断桥内外平框一体窗

SERIES NAME 系列名称

- **To elegance:** 1.4mm
致雅款: 1.4mm
- **Exalted medal:** 1.8mm
致尊款: 1.8mm
- **To Millionaires:** 3.0mm
致豪款: 3.0mm

STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）

CONFIGURATION DESCRIPTION 配置说明

1. Italian Reguetti hardware for window opening. The gauze adopts 04 HD net. Optional fixed guardrail and open guardrail.
 - 2, the door opening door includes Italian Reguetti door hardware.
 3. The explosive 110A series insulating glass adopts black aluminum strip 5+20A+5 air-tempered glass, optional glass above 6mm.
 - 4, 120 series fixed bit 5G+27A+5G, open fan 5G+27A+5G.
 - 5, the standard line with hypotenuse line, optional arc line or large square.
- 1、窗开启位意大利雷圭蒂五金。纱网采用04高清网。可选固定护栏和开启护栏
2、门开启扇含意大利雷圭蒂门五金。
3、爆款110A系列中空玻璃采用黑色铝条5+20A+5在空钢化玻璃，可选6mm以上玻璃。
4、120系列固定位5G+27A+5G，开启扇5G+27A+5G。
5、压线标配斜边压线，可选圆弧压线或大方形。



120

BROKEN BRIDGES INSIDE AND OUTSIDE FLAT FRAMES INTEGRATED WINDOW
(DIAGONAL LINE)

120 断桥内外平框一体窗（斜压线）

SERIES NAME 系列名称

- **Exalted medal:** 1.8mm
致尊款: 1.8mm
- **To Millionaires:** 3.0mm
致豪款: 3.0mm

STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）

CONFIGURATION DESCRIPTION 配置说明

1. Italian Reguetti hardware for window opening. The gauze adopts 04 HD net. Optional fixed guardrail and open guardrail
 - 2, the door opening door includes Italian Reguetti door hardware.
 3. The explosive 110A series insulating glass adopts black aluminum strip 5+20A+5 air-tempered glass, optional glass above 6mm.
 - 4, 120 series fixed bit 5G+27A+5G, open fan 5G+27A+5G.
 - 5, the standard line with hypotenuse line, optional arc line or large square.
- 1、窗开启位意大利雷圭蒂五金。纱网采用04高清网。可选固定护栏和开启护栏
2、门开启扇含意大利雷圭蒂门五金。
3、爆款110A系列中空玻璃采用黑色铝条5+20A+5在空钢化玻璃，可选6mm以上玻璃。
4、120系列固定位5G+27A+5G，开启扇5G+27A+5G。
5、压线标配斜边压线，可选圆弧压线或大方形。



50 NON-BROKEN BRIDGE CASEMENT WINDOWS 50 非断桥平开窗

SECTION WALL THICKNESS 型材壁厚

Section wall thickness: 1.4mm
型材壁厚: 1.4mm


STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑 (只做内外同色)

CONFIGURATION DESCRIPTION 配置说明

- 1, the outside open fan Italian Reguetti hand.
- 2, glass 5+9A+5 tempered glass, optional to make a single 5mm glass.

- 1、外开开扇意大利雷圭蒂执手。
- 2、玻璃5+9A+5钢化玻璃，可选做单层5mm玻璃。



65 BROKEN BRIDGE CASEMENT WINDOWS 65 断桥平开窗

SECTION WALL THICKNESS 型材壁厚

Section wall thickness: 1.4mm
型材壁厚: 1.4mm



STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑 (只做内外同色)

CONFIGURATION DESCRIPTION 配置说明

- 1. The door opener contains Homan hardware. Optional pressure line is equipped with a transfer frame; Optional inside opening inside reversing inlet lattice house hardware.
- 2, glass 5+15A+5mm.

- 1、门开启位含霍曼五金。可选压线内装加转换框；可选内开内倒进口格屋五金。
- 2、玻璃5+15A+5mm。




75 BROKEN BRIDGE SYSTEM CASEMENT WINDOWS 75 断桥系统平开窗

SECTION WALL THICKNESS 型材壁厚

- Section wall thickness: 1.8mm
- 型材壁厚1.8mm

STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）



CONFIGURATION DESCRIPTION 配置说明

- The door opener contains Reguitti hardware. Inside-open inside-open fan Italian Reguetti hardware. Optional conversion box.
 - glass 5+22A+5 double tempered. The glass comes standard with black aluminum strips. Fixed position standard external rubber strip internal glue process.
- 1、门开启位含雷圭蒂五金。内开内倒开启扇意大利雷圭蒂五金。可选转换框。
2、玻璃5+22A+5双钢化。玻璃标配黑色铝条。固定位标配外胶条内打胶工艺。

MEDIUM AND NARROW SLIDING DOORS 65 LEAVES (40*65) 中窄推拉门 65扇（40*65）

SERIES NAME 系列名称

- Two tracks: 1.4mm 两轨:1.4mm
- Three-track yarn: 1.4mm 三轨带纱1.4mm
- Two tracks: 2.0mm 两轨:2.0mm
- Three-track yarn: 2.0mm 三轨带纱2.0mm
- Two tracks: 3.0mm 两轨:3.0mm
- Three-track yarn: 3.0mm 三轨带纱3.0mm


STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）

CONFIGURATION DESCRIPTION 配置说明

- glass standard with 4+15A+4 glass, can be upgraded 5+15A+5 glass.
- hardware accessories: standard with a word lock (light bronze, silver), optional with a word lock handle. Optional double hook lock body with key.
- Standard low rail, high rail can be selected.

- 1、玻璃标配4+15A+4玻璃，可升级5+15A+5玻璃。
2、五金配件：标配一字锁（浅古铜色、银色），可选配一字锁带拉手。可选带锁匙双钩锁体。
3、标配低轨，可选配高轨。



100 HEAVY SLIDING DOORS (50*100) 重型推拉门100扇 (50*100)

SERIES NAME 系列名称

- Two tracks: 2.0mm 两轨: 2.0mm
- Three-track yarn: 2.0mm 三轨带纱: 2.0mm

STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black (only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑 (只做内外同色)



CONFIGURATION DESCRIPTION 配置说明

- hardware accessories: standard with a word lock (light bronze, silver), can be optional with a word lock handle. Optional double hook lock body with key.
- Standard low rail, high rail can be selected.

- 五金配件: 标配一字锁 (浅古铜色、银色), 可选配一字锁带拉手。可选带锁匙双钩锁体。
- 标配低轨, 可选配高轨。


MEDIUM NARROW AND HEAVY DUTY SLIDING DOORS 70(50*70) 中窄重型推拉门 70扇 (50*70)

SERIES NAME 系列名称

- Two tracks: 3.0mm 两轨: 3.0mm
- Three-track yarn: 3.0mm 三轨带纱: 3.0mm

STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black (only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑 (只做内外同色)



CONFIGURATION DESCRIPTION 配置说明

- hardware accessories: standard with a word lock (light bronze, silver), can be optional with a word lock handle. Optional double hook lock body with key.
- Standard low rail, high rail can be selected.


- 五金配件: 标配一字锁 (浅古铜色、银色), 可选配一字锁带拉手。可选带锁匙双钩锁体。
- 标配低轨, 可选配高轨。

83 NON-BROKEN BRIDGE TWO-TRACK PUSH AND PULL WINDOW (BAG SET)

83非断桥两轨推拉窗（包套款）

SECTION WALL THICKNESS 型材壁厚

- Two tracks: 1.4mm
- 两轨:1.4mm




STOCK COLOR 库存色

- Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
- 氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）

CONFIGURATION DESCRIPTION 配置说明

- 1, standard 5mm single glass; Optional upgrade of insulating glass.
- 2, hardware accessories: standard with a word lock (silver), optional hanging diamond net gauze.
- Three rail standard gold-steel mesh.
- 1、标配5mm单玻；可选升级中空玻璃。
- 2、五金配件：标配一字锁（银色），可选外挂金刚网纱网。三轨标配金钢网。




105 NON-BROKEN BRIDGE THREE-TRACK PUSH AND PULL WINDOW (BAG SET)

105非断桥三轨推拉窗（包套款）

SECTION WALL THICKNESS 型材壁厚

- Three-track: 1.4mm
- 三轨:1.4mm




STOCK COLOR 库存色

- Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
- 氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）

CONFIGURATION DESCRIPTION 配置说明

- 1, standard 5mm single glass; Optional upgrade of insulating glass.
- 2, hardware accessories: standard with a word lock (silver), optional hanging diamond net gauze.
- Three rail standard gold-steel mesh.
- 1、标配5mm单玻；可选升级中空玻璃。
- 2、五金配件：标配一字锁（银色），可选外挂金刚网纱网。三轨标配金钢网。



100 NON-BROKEN BRIDGE THREE-TRACK PUSH AND PULL 100非断桥三轨推拉窗

SECTION WALL THICKNESS 型材壁厚

Three-track 1.4mm
三轨:1.4mm

STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）



CONFIGURATION DESCRIPTION 配置说明

- 1, insulating glass 5+9A+5.
- 2, hardware accessories: standard with a word lock (silver), gauze standard with diamond net.
- 1、中空玻璃5+9A+5。
- 2、五金配件：标配一字锁（银色），纱网标配金刚网。


75 TWO-TRACK BROKEN BRIDGE SLIDING WINDOW 75两轨断桥推拉窗

SECTION WALL THICKNESS 型材壁厚

Two tracks: 1.4mm
两轨:1.4mm

STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）



CONFIGURATION DESCRIPTION 配置说明

- 1, glass standard with 4+12A+4 glass, can be upgraded 5+15A+5 glass.
- 2, hardware accessories: standard with a word lock.
- 1、玻璃标配4+12A+4玻璃，可升级5+15A+5玻璃。
- 2、五金配件：标配一字锁。

110 THREE-TRACK BROKEN BRIDGE SLIDING WINDOW 110三轨断桥推拉窗

SECTION WALL THICKNESS 型材壁厚

• **Three-track** 1.4mm
三轨:1.4mm

STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）

CONFIGURATION DESCRIPTION 配置说明

1, glass standard with 4+12A+4 glass, can be upgraded 5+15A+5 glass.
2, hardware accessories: standard with a word lock.

1、玻璃标配4+12A+4玻璃，可升级5+15A+5玻璃。
2、五金配件：标配一字锁。



68 FOLDING DOORS 68折叠门

SECTION WALL THICKNESS 型材壁厚

• **Section wall thickness:** 2.0mm
型材壁厚: 2.0mm


STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）

CONFIGURATION DESCRIPTION 配置说明

1. The glass adopts black aluminum strip.
2, hardware using domestic hardware; Optional upgrade to Kaisenberg hardware.

1、玻璃采用黑色铝条。
2、五金采用国产五金；可选升级凯森贝格五金。



73 FOLDING DOORS 73折叠门

SECTION WALL THICKNESS 型材壁厚

• **Section wall thickness:** 2.0mm
型材壁厚: 2.0mm

STOCK COLOR 库存色

Fluorocarbon grey, yarn coffee, sand grey, sand black
(only inside and outside the same color)
氟碳灰、纱纹咖啡、砂纹灰、砂纹黑（只做内外同色）

CONFIGURATION DESCRIPTION 配置说明

1. The glass adopts black aluminum strip.
2, hardware using Claisen hardware.

1、玻璃采用黑色铝条。
2、五金采用克萊森五金。

