



jnyell

RESPECT HEALTH AND  
BE MORE FOCUSED

敬健康，更专一

质量创造价值 服务提升品牌

QUALITY CREATS VALUE  
SERVICE PROMOTES BRAND

江苏敬一医疗科技有限公司

地址：丹阳市众创产业园C2号楼  
电话：0511-86888998  
邮政编码：212300  
邮箱：info@jnyell.com  
网站：www.jnyell.com

JIANGSU JINGYI MEDICAL TECHNOLOGY CO., LTD

Address: Building C2, Danyang Zhongchuang Industrial Park  
Phone: 0511-86888998  
Postal Code: 212300  
Email: info@jnyell.com  
Website: www.jnyell.com

江苏敬一医疗科技有限公司

JIANGSU JINGYI MEDICAL TECHNOLOGY CO., LTD



# CONTENT

## 目录

便携式吸痰器 Portable Suction Machine	04/05
电动吸引器 Electric Suction Apparatus	06/07
医用压缩雾化器 Medical Compression Nebulizer	08
防褥疮床垫 Anti Bedsores Mattress	09/10
颈部固定器 Neck Retainer	11
拐杖 Crutch	12
床边桌 Overbed Table	13
助行器 Walking Aid	14
坐厕椅 Commode Chair	15
轮椅 Wheelchair	16/18

## 企业简介

### Company profile

江苏敬一医疗科技有限公司成立于2007年,位于江苏丹阳。公司集研发、设计、生产、销售呼吸及康复医疗设备于一体。敬一公司是国家高新技术企业、江苏省医疗器械行业协会的理事单位,敬一商标也被认定为江苏省著名商标。公司率先通过了ISO13485和CE质量管理体系认证。质量创造价值,服务提升品牌,是公司一贯的理念。公司坚持以质量为导向,不断加强质量意识,提高质量控制水平,确保产品质量,使敬一公司成为同行业中极具竞争力的企业。

我们将继续秉承“健康之心、科技为先、热情满怀、充满希望”的理念,维护企业、社会和人民的健康节奏,携手共创美好明天。

Jiangsu Jingyi Medical Technology Co., Ltd. was established in 2007 and is located in Danyang, Jiangsu. The company integrates research and development, design, production, and sales of respiratory and rehabilitation medical equipment. Jingyi Company is a national high-tech enterprise and a member of the Jiangsu Medical Device Industry Association. The Jingyi trademark has also been recognized as a famous trademark in Jiangsu Province. The company has taken the lead in obtaining ISO13485 and CE quality management system certifications. The company's consistent philosophy is to create value through quality and enhance brand through service. The company adheres to a quality oriented approach, continuously strengthens quality awareness, improves quality control level, ensures product quality, and makes Jingyi Company a highly competitive enterprise in the same industry.

We will continue to uphold the concept of "healthy heart, technology first, enthusiastic and hopeful", maintain the healthy rhythm of enterprises, society and people, and work together to create a better tomorrow.



# 荣誉证书

Certificate of Honor



## 技术实力雄厚 赢多项荣誉

公司在发展过程中获得多方认可，荣获了多项奖项和证书。



# 便携式吸痰器

Portable Suction Machine



- |       |        |       |        |     |
|-------|--------|-------|--------|-----|
|       |        |       |        |     |
| 无油活塞泵 | 工作性能稳定 | 防溢流技术 | 便携式和家用 | 低噪音 |

## 9K-A

### 产品特点 Product Features

- 便携式吸痰器适用于负压下吸取脓血、痰等粘稠液体。
- 无油活塞泵有助于防止油雾污染。
- 塑料面板使其防水蚀。
- 溢流阀有助于防止液体流入泵。
- 负压可根据要求调节。
- 体积小，重量轻，便于携带，特别适合急诊和医生外出查房。

- The portable suction device is suitable for suctioning viscous liquids such as pus, blood, and phlegm under negative pressure.
- Oil free piston pumps help prevent oil mist pollution.
- Plastic panels make it waterproof and corrosion-resistant.
- Overflow valves help prevent liquid from flowing into the pump.
- Negative pressure can be adjusted according to requirements.
- Small size, light weight, easy to carry, especially suitable for emergency departments and doctors going out for ward rounds.

### 技术参数 Technical Parameter

吸入泵:活塞泵	Suction pump:piston pump
额定电压:AC220V±22V, 50Hz±1Hz	Rated voltage:AC220V±22V, 50Hz±1Hz
输入功率:90VA	Input power: 90VA
极限负压值:≥0.075MPa	Ultimate negative pressure value: ≥0.075MPa
负压调节范围:0.02MPa至最大	Negative pressure adjustment range: 0.02 MPa to maximum
排气速度:≥18L/min≥15L/min	Air exhausting speed: ≥18L/min ≥15L/min
储液罐:≥1000mL, 1个	Reservoir: ≥1000mL, 1pc
噪声:≤65dB (A)	Noise: ≤65dB (A)

## 便携式吸痰器

Portable Suction Machine



无油活塞泵

低噪音

出气孔  
隐藏在内部

调节负压

## 9K-B

产品特点 Product Features

- 采用可充电电池，防锈强钢，噪音低，寿命长防锈强钢
- With rechargeable battery, anti rusting strong steel low noise and long life

### 技术参数 Technical Parameter

电源:交流100V-240V,50HZ/60HZ;DC12V2A

Power supply:AC 100V-240V,50HZ/60HZ;DC12V2A

负载下的气流量:> 7 L / min

Pumping Rate:>7L/min

储液瓶容积:1000ml

Jug Volume: 1000ml

输入功率: 30VA±25%

Input Power: 30VA±25%

噪声:< 60 dba

Noise Level:<60dBa

最大负压值:0.075MPa

Max Negative Pressure Value:>0.075MPa

电池(直流):2600mA

Battery (for Dc): 2600mA

负压调节范围:0.02 MPa ~ 0.075 MPa

Negative Pressure Adjustment Range: from 0.02 MPa to 0.075 MPa

整机重量:1.8kg

Unit Weight: 1.8kg

选配车载充电器

Optionally Equipped with car charger

空载气流量:>15L/min

Free Air Flow Rate:>15L/min

## 电动吸引器

Electric Suction Apparatus



## 9K-D

产品特点 Product Features

- 全塑/钣金机身、面板设计,造型美观、简洁;
- 电源线、脚踏开关可拆拔;
- 移动方便、低噪音、高负压、大流量;
- 适用于医疗单位手术时需吸引脓血、浓痰和粘质液体及其他需要负压吸引的场合;
- Full plastic / sheet metal body, panel design, beautiful, simple;
- Power cord and foot switch can be removed and pulled;
- high negative pressure, large flow rate;
- Suitable for medical units to attract pus and blood, sputum and mucinous fluid and other occasions that need to attract negative pressure

### 技术参数 Technical Parameter

高负压/高流量

High vacuum, high flowrate

电源电压:~220V±22V,

Power supply: AC220V±22V

频率:50Hz±1Hz

Frequency: 50Hz±1Hz

输入功率:160VA

Input power: 160VA

最大负压值:90kPa±10kPa

Maximum negative pressure value: 90kPa±10kPa

负压调节范围:20kPa至最大负压值

Adjustable range of the negative pressure: 0.02 MPa to the maximum Vacuum

自由空气流量:>30L/45L/min

Flowrate: >30L/45L/min

噪声:<65dB (A)

Noise: <65dB(A)

运行模式:非连续运行,打开30分钟,关闭30分钟

Operation mode: Discontinuous operation, open30min, Shut30min

## 电动吸引器

Electric Suction Apparatus



9K-E

### 产品特点 Product Features

- 双头压缩泵；
- 全塑/钣金机身、面板设计，造型美观、简洁；
- 保险丝位于面板/底座，操作、更换便捷；
- 移动方便、低噪音、高负压、大流量；
- 适用于医疗单位手术时需吸引脓血、浓痰和粘质液体及其他需要负压吸引的场合；

- Double head compression pump;
- Full plastic/sheet metal body and panel design, with beautiful and simple appearance;
- The fuse is located on the panel/base, making it easy to operate and replace;
- Easy to move, low noise, high negative pressure, and large flow rate;
- Suitable for medical institutions that require suction of pus, blood, thick phlegm, viscous fluid, and other situations that require negative pressure suction during surgery;

### 技术参数 Technical Parameter

高负压/高流量	High vacuum, high flowrate
电源电压:~220V±22V,	Power supply: AC220V±22V
频率:50Hz±1Hz	Frequency: 50Hz±1Hz
输入功率:160VA	Input power: 160VA
最大负压值:90kPa±10kPa	Maximum negative pressure value: 90kPa±10kPa
负压调节范围:20kPa至最大负压值	Adjustable range of the negative pressure: 0.02 MPa to the maximum Vacuum
自由空气流量:>30L/45L/60L/80L/min	Flowrate: >30L/45L/60L/80L/min
噪声:<65dB (A)	Noise: <65dB(A)
运行模式:非连续运行,打开30分钟,关闭30分钟	Operation mode: Discontinuous operation, open30min, Shut30min

## 医用压缩雾化器

Medical Compression Nebulizer



JY-W801A



JY-W803A

### 产品特点 Product Features

- 医用压缩雾化器是为成功治疗哮喘、过敏和其他呼吸系统疾病而开发的。
- 它产生一股气流,通过透明空气管到达药杯。
- 当空气进入药杯时,它将把药物转化为气雾剂,便于吸入。
- Medical compression nebulizers are developed for the successful treatment of asthma, allergies, and other respiratory diseases.
- It generates an airflow that reaches the medicine cup through a transparent air tube.
- When air enters the medicine cup, it will convert the medication into an aerosol, making it easier to inhale.



JY-W801D

### 技术参数 Technical Parameter

输入功率:<160VA	Input power :<160VA
额定电压:AC220V±22V, 50Hz±1Hz	Rated voltage:AC220V±22V,50Hz±1Hz
压缩机自由空气流量:≥6L/min	Compressor free air flow rate:≥6L/min
最大雾化速率:≥0.2mL/min	Maximum atomization rate: ≥0.2mL/min
机器噪声≤65dB (A)	Machine noise ≤ 65dB(A)

## 防褥疮床垫

Anti Bedsores Mattress



### GRID MATTRESS STYLE (菱格床垫)

#### 产品特点 Product Features

- 防褥疮床垫菱格型
- 泡沫型替代床垫由无毒PVC和尼龙织物制成。
- 低噪音设计。工作噪音不超过45dB(A)
- 安全圆边设计
- 简单明了的调节按钮
- 气泵背面有吊架,可以节省空间
- Anti bedsores mattress diamond grid type
- The foam alternative mattress is made of non-toxic PVC and nylon fabric.
- Low noise design. The working noise should not exceed 45dB (A)
- Safe round edge design
- Simple and clear adjustment button
- There is a hanger on the back of the air pump, which can save space

#### 技术参数 Technical Parameter

气泵出口充气压力可调,最大压力≥12kPa 在最大工作负荷下,床垫的最大压力≥4kPa;	Air charging pressure at the outlet of air pump is adjustable, maximum pressure ≥12kPa; Under the maximum operating load, the maximum pressure of mattress ≥4kPa;
电压:AC220V±22V 50Hz±1Hz	Voltage: AC220V±22V 50Hz±1Hz
最大出气量:≥4L/min	Maximum gas output: ≥4L/min
最大压力:≥12kPa	Max Pressure: ≥12 kPa
循环时间:12分钟	Cycle time:12min
尺寸(长*宽*高):200*90*6cm	Dimension (L*W*H):200*90*6cm

## 防褥疮床垫

Anti Bedsores Mattress



### STRIPED MATTRESS STYLE (条纹床垫)

#### 产品特点 Product Features

- 防褥疮床垫PVC材质
- 条纹式床垫由无毒PVC制成。
- 有18/21/22/24个可互换的管子。
- Anti-bedsores mattress stripe PVC material ITEM NO.
- Striped mattress style The strip-type alternative mattress is made of non-toxic PVC.
- There are 18/21/22/24 interchangeable tubes.

#### 技术参数 Technical Parameter

低噪声设计。工作噪音不超过45dB(A)	Low-noise design. The operating noise does not exceed 45dB(A)
安全圆边设计	Safe round edge design
简单明了的调整按钮	Simple and lucid adjustment button
气泵背面设有吊架,可节省空间	Air pump is provided with hanger at the backside, which may save space
气泵出口充气压力可调,最大压力>12kPa	Air charging pressure at the outlet of air pump is adjustable, maximum pressure>12kPa
在最大运行载荷下,床垫最大压力>4kPa;	Under the maximum operating load, the maximum pressure of mattress>4kPa;
气泵最大流量>4L/min;	Maximum flow of air pump>4L/min;
周期时间:12分钟	Cycle time:12min
尺寸(长*宽*高):200*90*8cm	Dimension (L*W*H): 200*90*8cm

# 颈部固定器

Neck Retainer



## 产品特点 Product Features

- 全新升级,呵护颈椎健康
- 采用针织植绒面料,柔软细腻,佩戴轻便更舒适
- 全新配色,外出家居均可使用
- 针对人体颈椎分区层呵护,让您告别颈肩困扰
- New upgrade, care for the health of the cervical spine
- Using knitted flocking fabric, soft and delicate, lightweight to wear and more comfortable
- New color matching, suitable for both outdoor and home use
- Provide layered care for the human cervical vertebra, help you get rid of neck and shoulder problems

## 技术参数 Technical Parameter

材质:针织植绒布

Material: Knitted flocking fabric

颜色:灰色

Color: grey

输气软管:PVC

Gas transmission hose: PVC

产品尺寸:210\*48\*277mm

Product size: 210\*48\*277mm

## 贴心细节 Thoughtful details



优质魔术贴

可根据颈围调节大小,方便耐用

High quality velcro

The size can be adjusted according to the neck circumference, which is convenient and durable



高弹性充气球

可拆卸充气球

轻松放气

High elastic inflatable ball

Detachable inflatable ball

Release air easily

# 拐杖

Crutch



## JY-Z-Y-LL101

- 拐杖,高强度铝合金管,可调节(大、中、小)
- 包装细节:
  - 重量:16公斤,尺寸:1350\*295\*255毫米(大)
  - 重量:14.5公斤,尺寸:1150\*295\*255毫米(中)
  - 重量:13公斤,尺寸:970\*295\*255毫米(小)
- Crutch, high-strength alum inum alloy tube,adjustable (large, medium,small)
- Packing detais:
  - GW: 16kgs, Size: 1350\*295\*255mm(Large)
  - GW: 14.5kgs, Size: 1150\*295\*255mm(Medium)
  - GW: 13kgs, Size: 970\*295 \*255mm(small)



JY-Z-G-LL102 JY-Z-G-LL103



## JY-Z-Y-LL104

- 拐杖高强度铝合金管,高度可调,厚泡沫,防滑垫
- 包装细节:
  - 体重:14.5公斤,10件(5对)
  - 尺寸:65厘米x31.5厘米x92厘米
- Crutch high-strength aluminum alloy tube, hight adjustable,thick foam, non-slip mat
- Packing details:
  - G.W.: 14.5kgs,10PCS(5 Pairs)
  - Size: 65x 31.5x 92 cm

## 床边桌

Overbed Table



JY-OC-Z01

- 床边桌,环保台面,防水,升降方便,无噪音,可拆卸。
- 包装细节:  
毛重:11公斤,1个;  
尺寸:80x45.5x8.5cm
- Bedside table, environmentally friendly countertop, waterproof, easy to lift, noiseless, and detachable.
- Packing details:  
G.W.: 11kgs,1pc;  
Size:80x45.5x8.5cm



JY-OC-Z02

- 阻燃、防水耐磨桌面,四个可移动的脚轮,喷涂框架,易于安装升降无噪音,可拆卸。
- 包装细节:  
毛重:7.6公斤,1个;  
尺寸:67x17x46cm
- Flame retardant, waterproof and wear-resistant desktop, four movable casters, spray painted frame,Easy to install and lift without noise, detachable.
- Packing details:  
G.W.: 7.6kgs,1pc;  
Size: 67x 17x46cm



JY-OC-Z03

- 阻燃、防水耐磨桌面,电镀框架,四个脚轮带制动,升降方便可拆卸。
- 包装细节:  
毛重:11公斤,1个;  
尺寸:87x52x9.5厘米
- Flame retardant, waterproof and wear-resistant desktop, electroplated frame, four wheels with brakes, easy to lift and disassemble.
- Packing details:  
G.W.: 11kgs,1pc;  
Size:80x45.5x8.5cm

## 助行器

Walking Aid



JY-ZK-L-420-1

- 采用高强度铝合金,ABS橡胶件,高强度氧化,铝制表面,可折叠,6档高度,可调节,便于携带。
- 包装细节:  
毛重:11.9公斤,4件;  
尺寸:58x35x82cm
- Using high-strength aluminum alloy, ABS rubber parts, high-strength oxidation, aluminum surface, foldable, 6-speed height, adjustable, easy to carry.
- Packaging details:  
Gross weight: 11.9 kilograms, 4 pieces;  
Size: 58x35x82cm



JY-ZK-L-420-3

- 高强度氧化铝表面,可以旋转左或右的前向替代选项对,可折叠,便于携带。
- 包装细节:  
毛重:6.4公斤,2件;  
尺寸:56x17x81cm
- High strength alumina surface, can rotate left or right forward alternative options, foldable,Easy to carry.
- Packaging details:  
Gross weight: 6.4 kilograms, 2 pieces;  
Size: 56x17x81cm



JY-ZK-L-421-1

- 高强度氧化铝表面,可通过轮子拆卸,折叠方便携带。
- 包装细节:  
毛重:6.4公斤,2件;  
尺寸:56x20x83cm
- High-strength oxidation aluminum surface,can remove bywheel, folding and easy to carry.
- Packing details:  
G.W.: 6.4kgs,2pcs;  
Size: 56x20x83cm

## 坐厕椅

Commode chair



JY-OW-M01

- 表面灰色喷涂,可拆卸,便于携带,7档高度调节。
- 包装细节:
  - 毛重:26公斤,4件;
  - 尺寸:65x65x65cm
- Surface gray spray coating, detachable, easy to carry, 7-speed height adjustment.
- Packaging details:
  - Gross weight: 26 kilograms, 4 pieces;
  - Size: 65x65x65cm

JY-OW-M02

- 翻转扶手,灰色喷涂,可拆卸,方便携带,高度调节7档。
- 包装细节:

毛重:9.5公斤,1个;  
尺寸:56x42.5x43cm



- Flip armrest, gray spray painted, detachable, easy to carry, height adjustable i
- Packaging details:

Gross weight: 9.5 kilograms, 1 piece;  
Size: 56x42.5x43cm



JY-OW-M03

- 可折叠,便于携带电镀表面。
- 包装细节:
  - 毛重:14.8公斤,2件;
  - 尺寸:76 x32x50cm
- Folding, easy to carry electroplate surface.
- Packing details:
  - G.W.: 14.8kgs,2pcs;
  - Size: 76 x32x50cm

## 轮椅

Wheelchair



JY-MW-2104

### 产品特点 Product Features

- 液态烤漆铝合金框架,带折叠式靠背。
- 阻燃尼龙内饰。
- 配有安全带。
- 配有推车手刹和辅助制动器。
- 固定扶手,PVC垫。
- 可摆动的脚踏板,黑色塑料脚踏板,带鞋后跟。
- 8" \*1 PVC实心前脚轮,铝制前叉。
- 快速释放实心后轮,24英寸MAG轮子。
- Liquid painted aluminum alloy frame with foldable backrest.
- Flame retardant nylon interior.
- Equipped with seat belts.
- Equipped with trolley handbrake and auxiliary brake.
- Fixed armrest, PVC pad.
- Swinging foot pedal, black plastic foot pedal with heel.
- 8 " \* 1 PVC solid front casters, aluminum front fork.
- Quickly release solid rear wheels, 24 inch MAG wheels.

Model	Overal Length (mm)	Overal Width (mm)	Overal Height (mm)	Overal Width (mm)	Seat Width (mm)	Seat Depth (mm)	Seat Height (mm)	Backrest Height (mm)	Front casters (mm)	Rear Wheels (mm)	Carton Size (mm)	Weight Capacity (kg)	Product Weight (kg)	Overal Weight (kg)
	1060	630	960	320	450	420	500	460	8"	24"	790*330*775	130	14.6	17.4

# 轮椅

# Wheelchair



JY-MW-2202

## 产品特点 Product Features

- 轻质铝合金运输椅
  - 液态涂漆铝合金框架,带折叠式靠背
  - 阻燃尼龙内饰
  - 配有安全带
  - 把手制动器
  - 固定扶手, PVC垫
  - 可摆动的脚踏板, 带鞋跟环的塑料脚踏板
  - 8" \*1 PVC实心前脚轮, 铝制脚轮叉
  - 12" PU实心后轮
  - Lightweight aluminum alloy transport chair
  - Liquid painted aluminum alloy frame with folding backrest
  - Fire retardant nylon upholstery
  - Comes with seat belt
  - Handlebar brake
  - Fixed armrest , PVC-Pad
  - Swing-away footrests, plastic footplates with heel loops
  - 8 " \*1 PVC solid front casters, aluminum caster forks
  - 12 " PU solid rear wheels

Model	Overa11 Length (mm)	Overa11 Width (mm)	Overa11 Height (mm)	Overa11 Width (mm)	Seat Width (mm)	Seat Depth (mm)	Seat Height (mm)	Backrest Height (mm)	Front casters (mm)	Rear Wheels (mm)	Carton Size (mm)	Weight Capacity (kg)	Product Weight (kg)	Overa11 Weight (kg)
	915	580	1040	245	480	406	540	450	8"	12"	640*245*775	100	11.6	13.7

# 轮椅

## Wheelchair



JY-MW-2201

## 产品特点 Product Features

- 袋子里的椅子
  - 轻质铝合金框架,可折叠靠背
  - 18'方形尼龙内饰
  - 配有安全带
  - 配有一键锁车轮锁
  - 带PVC垫的可翻转扶手
  - 可摆动的脚踏板,带鞋跟带的塑料脚踏板
  - 8" PVC实心前脚轮,塑料前叉
  - 8" PVC实心后轮。
  - 配有紧凑型手提包
  - The chair in the bag
  - Lightweight aluminum alloy frame, foldable backrest
  - 18 'square nylon interior
  - Equipped with seat belts
  - Equipped with one key lock wheel lock
  - Flip over armrest with PVC pad
  - Swinging foot pedal, plastic foot pedal with heel strap
  - 8 "PVC solid front wheels, plastic front fork
  - 8 "PVC solid rear wheels.
  - Equipped with a compact handbag

Model	Overall Length (mm)	Overall Width (mm)	Overall Height (mm)	Overall Width (mm)	Seat Width (mm)	Seat Depth (mm)	Seat Height (mm)	Backrest Height (mm)	Front casters (mm)	Rear Wheels (mm)	Carton Size (mm)	Weight Capacity (kg)	Product Weight (kg)	Overall Weight (kg)
	840	570	950	280	460	420	480	440	8"	8"	320*305*790	100	9.5	11.2