


8 cabinets can be spliced into a cylinder

Unlimited creativity, free display

GS-F Series



GS-F Series

500x500mm

Technical parameter* T = Outdoor

Model	P2.6	P2.97	P3.91	P2.97T	P3.91T	P4.81T
LED Type	SMD1515	SMD1515	SMD2121	SMD1415	SMD1921	SMD1921/SMD2525 can choose
Pixel Pitch (mm)	2,6	2,976	3,906	2,976	3,906	4,807
Pixel Density (dots/m)	147,456	112,896	65,536	112,896	65,536	43,264
Module Size (mm) Module	250*250	250*250	250*250	250*250	250*250	250*250
Resolution (dots)	96*96	84*84	64*64	84*84	64*64	52*52
Cabinet Size (mm)	"500*500*75 / 500*1000*75"	"500*500*75 / 500*1000*75"	"500*500*75 / 500*1000*75"	"500*500*75 / 500*1000*75"	"500*500*75 / 500*1000*75"	"500*500*75 / 500*1000*75"
Cabinet Weight (KGs)	6.5/11.5	6.5/11.5	6.5/11.5	6.8/11.8	6.8/11.8	6.8/11.8
Refresh Rate (HZ)	7680	7680	7680	7680	7680	7680
Brightness (CD/m) Average	800-1200	1000-2000	1000-2000	4000-4500	4500-5000	3500-4000
Power (W/m) Driving	250	250	250	300	300	300
Method	I/32s	I/28s	I/16s	1/14S	1/16S	1/13S
Viewing Angles (H/V) IP rate	160°/160°	160°/160°	160°/160°	160°/160°	160°/160°	160°/160°
Working Humidity (RH)	IP30	IP30	IP30	IP65	IP65	IP65
Working Temperature (°C)	10%-60%		-40°C ~ +40°C		10%-90%	
Installation Types	Lifting/Arc/Special-shaped					

GS-F Series



Ergonomic/Simple Aesthetic Design

Power Equalization Design

Plug-and-Play Power Box Design

Module Upgrade

Slim Design



Hard Connection



Corner Protection Design



8 cabinets can be spliced into a Seamless



compatibility with GS series



Front and Rear Maintenance



GS-F Series

Creative Display for Rental Applications

The GS-F series is dedicated to solving the challenges of rental applications with fast installation, unlimited creativity, free display, and flexible splicing for instant cylindrical formation.

Flexible Splicing, Instantly Cylindrical

Breaking the limitations of traditional screen splicing, 8 cabinets can be quickly assembled into a standard cylinder, supporting multi-angle bending and seamless curved displays.




Interconnectable with GS Series

High-precision splicing design ensures seamless connections with no visible gaps.

GS-F Series

Creative Display for Rental Applications

The GS-F series is dedicated to solving the challenges of rental applications with fast installation, unlimited creativity, free display, and flexible splicing for instant cylindrical formation.




Flexible Splicing, Effortless Transformation

Supports “S” shape splicing and various creative designs with a $\pm 25^\circ$ wide-angle adjustment.

Flexible Module Design (250×250mm)

500×500mm lightweight cabinet with 250×250mm flexible module, featuring high-flexibility PCB and special rubber material for seamless bending and adaptation to various curved structures.



GS-F Series

Creative Display for Rental Applications

The GS-F series is dedicated to solving the challenges of rental applications with fast installation, unlimited creativity, free display, and flexible splicing for instant cylindrical formation.

Indoor



Outdoor



PRODUCT ACCESSORIES

The sign with * is the optional accessories



Power cable



Signal cable



Hanging beam*



Video processor*



Back rack*