康柔®
KangRoad

东莞市康柔电器科技有限公司

Dongguan KangRoad Electrical Technology Co.,LTD



Why choose us

20+
years Research
& Development

10+
modern automatic
production lines

10000 +
m² factories


200 +
Employees

300,000+
Monthly Capacity

Certificate



ISO 9001:2015



BSCI



UKCA



CE



PSE



cSGSus



GS




KC



SAA



CB



US Design Patent



EU Design Patent

Factory Abilities



















康柔®
KangRoad

CONTENTS

01 Hair Dryer ---------- 1~9


02 Hair Straightener ---------- 10~25

03 Hair Curler ---------- 26~38


04 Hair brush ---------- 39~42

05 Hot air brush ---------- 43


Hair dryer magnetic attachments



Nozzle-A




Nozzle-C



Nozzle-B



Airwrap



Diffuser

康柔®
KangRoad

Rotation speed: 110,000rpm

Motor: Brushless DC motor

Negative ions volume: ≥200 million

Auto clean function

Magnetic accessories

Wind speed: ≥24m/s

Sound level : ≤80dB

Weight: ≈300g




MODEL:KR-F01

- **Voltage:** 220-240V~50-60Hz
  100-120V~50-60Hz
- **Power:** 1200W(For home use)/
  1500W(For professional salon use)
- **Temperature:** cool air-60-90-120℃-(H)
  cool air-140-190-250℉-(H)
- **Airflow setting:** Low-Medium-High

LCD





康柔 KangRoad

Rotation speed: 110,000rpm

Motor: Brushless DC motor

Negative ions volume: ≥200 million

Auto clean function

Magnetic accessories

Wind speed: ≥24m/s

Sound level : ≤80dB

Weight: ≈300g

MODEL:KR-F02

- **Voltage:** 220-240V~50-60Hz
  100-120V~50-60Hz
- **Power:** 1200W(For home use)/
  1500W(For professional salon use)
- **Temperature:** cool air-60-90-120℃-(H)
  cool air-140-190-250℉-(H)
- **Airflow setting:** Low-Medium-High







康柔®
KangRoad

Rotation speed: 110,000rpm

Motor: Brushless DC motor

Negative ions volume: ≥200 million

Auto clean function

Magnetic accessories

Wind speed: ≥24m/s

Sound level : ≤80dB

Weight: ≈300g



MODEL:KR-F03

- **Voltage:** 220-240V~50-60Hz
  100-120V~50-60Hz
- **Power:** 1200W(For home use)/
  1500W(For professional salon use)
- **Temperature:** cool air-60-90-120℃-(H)
  cool air-140-190-250℉-(H)
- **Airflow setting:** Low-Medium-High





Rotation speed:
110,000rpm

Motor:
Brushless DC motor

Negative ions volume:
≥200 million

Auto clean function

Magnetic accessories

Wind speed:
≥24m/s

Sound level :
≤80dB

Weight:
≈300g




MODEL:KR-F06

- **Voltage:** 220-240V~50-60Hz
  100-120V~50-60Hz
- **Power:** 1200W(For home use)/
  1500W(For professional salon use)
- **Temperature:** cool air-60-90-120℃-(H)
  cool air-140-190-250℉-(H)
- **Airflow setting:** Low-Medium-High

LCD



Magnetic



康柔®
KangRoad

Rotation speed: 110,000rpm

Motor: Brushless DC motor

Negative ions volume: ≥200 million

Auto clean function

Magnetic accessories

Wind speed: ≥24m/s

Sound level : ≤80dB

Weight: ≈300g

MODEL:KR-F07


- **Voltage:** 220-240V~50-60Hz
  100-120V~50-60Hz
- **Power:** 1200W(For home use)/
  1500W(For professional salon use)
- **Temperature:** cool air-60-90-120℃-(H)
  cool air-140-190-250℉-(H)
- **Airflow setting:** Low-Medium-High



LCD



Magnetic



Rotation speed:
110,000rpm

Motor:
Brushless DC motor

Negative ions volume:
≥200 million

Auto clean function

Magnetic accessories

Wind speed:
≥24m/s

Sound level :
≤80dB

Weight:
≈300g



MODEL:KR-F08

- **Voltage:** 220-240V~50-60Hz
  100-120V~50-60Hz
- **Power:** 1200W(For home use)/
  1500W(For professional salon use)
- **Temperature:** cool air-60-90-120℃-(H)
  cool air-140-190-250℉-(H)
- **Airflow setting:** Low-Medium-High

LCD





康柔 KangRoad

Rotation speed: 80,000rpm

Motor: Brushless DC motor 36mm

LCD display

Magnetic accessories

Millions Plasma

QUICK STYLING

MODEL:KR-F04

- **Voltage:** 220-240V~50-60Hz
  100-120V~50-60Hz
- **Power:** 2200W
- **Temperature:** 1-2-3-4，Max temperature 130℃
- **Airflow setting:** 1-2-3-4
- **3 usage mode:**quick-dry-hair care-styling







Rotation speed:
80,000rpm

Motor:
Brushless
DC motor 36mm

Millions
Plasma

AI mode

Magnetic accessories


LCD display



QUICK STYLING

MODEL:KR-F10

- **Voltage:** 220-240V~50-60Hz
  100-120V~50-60Hz
- **Power:** 2200W
- **Temperature:** 1-2-3-4，Max temperature 130℃
- **Airflow setting:** 1-2-3-4
- **AI mode:**1-2-3



康柔®
KangRoad



PTC heater fast heat up

Hot steam

3D floating plate

1.25 inch plate

6 adjustable temperature

Power cord 360° rotation

60 minutes automatic shutdown



MODEL:KR-088A

- **Dual Voltage:** 110-240V
- **Frequency:** 50/60Hz
- **Rated Wattage:** 50W(cSGSus),140-230W(CE)
- **Temperature:** (150℃-235℃/300℉-450℉)

PTC heater fast heat up

Hot steam

Infrared function

2.0 inch plate


3D floating plate

6 adjustable temperature

60 minutes automatic shutdown









MODEL:KR-088plus

- **Dual Voltage:** 110-240V
- **Frequency:** 50/60Hz
- **Rated Wattage:** 100W(cSGSus),120-185W(CE)
- **Temperature:** (150℃-235℃/300℉-450℉)

康柔®
KangRoad







PTC heater fast heat up

Hot steam

Infrared function

3D floating plate

5 adjustable temperature

1.53 inch plate

60 minutes automatic shutdown

MODEL:KR-088B

- **Dual Voltage:** 100-240V
- **Frequency:** 50/60Hz
- **Temperature:** (150℃-235℃/300℉-450℉)

PTC heater fast heat up


Hot steam


3D floating plate

5 adjustable temperature

1.53 inch plate

60 minutes automatic shutdown







MODEL:KR-088E

- **Dual Voltage:** 100-240V
- **Frequency:** 50/60Hz
- **Temperature:** (150℃-235℃/300℉-450℉)

康柔®
KangRoad

PTC heater fast heat up

Hot steam

3D floating plate

6 adjustable temperature

Power cord 360° rotation

60 minutes automatic shutdown

1 inch plate

MODEL:KR-088C

- **Dual Voltage:** 110-240V
- **Frequency:** 50/60Hz
- **Temperature:** (150℃-235℃/300℉-450℉)





康柔 KangRoad

PTC heater fast heat up

Hot steam

Infrared function

3D floating plate

6 adjustable temperature

Power cord 360° rotation

60 minutes automatic shutdown

1.54 inch plate

MODEL:KR-088D


- **Dual Voltage:** 100-240V
- **Frequency:** 50/60Hz
- **Temperature:** (150℃-235℃/300℉-450℉)





康柔®
KangRoad







Four MCH heater

Automatic steam

Infrared function

1.1 inch plate

Micro motor

3D floating plate

Hidden LCD

60 minutes automatic shutdown

MODEL:KR-089

- **Dual Voltage:** 100-240V
- **Frequency:** 50/60Hz
- **Rated Wattage:** 75W
- **Temperature:** (120℃-230℃/250℉-450℉)

PTC heater
15s fast
heating

1.0 inch
plate

Power cord
360° rotation

3D floating
plate

60 minutes
automatic
shutdown







MODEL:KR-103

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 240-120W(cSGSus),
  210-165W(CE)
- Temperature: (80℃-230℃/180℉-450℉)

康柔®
KangRoad







PTC heater fast heat up

Millions negative ions

3D floating plate

4 adjustable temperature

RGB colorful light

1.0 inch plate

60 minutes automatic shutdown

MODEL:KR-169

- **Dual Voltage:** 100-240V
- **Frequency:** 50/60Hz
- **Rated Wattage:** 55W(cSGSus),220-55W(CE)
- **Temperature:** (160℃-230℃/320℉-450℉)

PTC heater fast heat up

Millions negative ions


3D floating plate

4 adjustable temperature

RGB colorful light

1.45 inch plate

60 minutes automatic shutdown







MODEL:KR-170

- **Dual Voltage:** 100-240V
- **Frequency:** 50/60Hz
- **Rated Wattage:** 66W(cSGSus),220-55W(CE)
- **Temperature:** (160℃-230℃/320℉-450℉)

康柔®
KangRoad







PTC heater fast heat up

Millions negative ions

3D floating plate

4 adjustable temperature

RGB colorful light

0.9 inch plate

60 minutes automatic shutdown

MODEL:KR-171

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 66W(cSGSus),220-43W(CE)
- Temperature:（160℃-230℃/320℉-450℉）

PTC heater fast heat up

Millions negative ions

3D floating plate

4 adjustable temperature

RGB colorful light

1.35 inch plate

60 minutes automatic shutdown







MODEL:KR-172

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 50-62W(cSGSus),520W(CE)
- Temperature: (160℃-230℃/320℉-450℉)

康柔 KangRoad

PTC heater

Ultra slim

3D floating plate

1.0 inch plate

5 adjustable temperature

60 minutes automatic shutdown

MODEL:KR-198

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 40W(cSGSus),35W(CE)
- Temperature: (120℃-210℃/250℉-410℉)







PTC heater fast heat up

Ultra straightener

3D floating plate

Transparent LCD display

Infrared function

60 minutes automatic shutdown

Teeth

1.0 inch plate

MODEL:KR-176


- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Temperature: (120℃-210℃/250℉-410℉)







Infrared



康柔 KangRoad

PTC heater fast heat up

2 in 1 hair straightener & curler

3D floating plate

LCD temperature display

1 inch plate

60 minutes automatic shutdown

MODEL:KR-168B

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 45W(cSGSus),45W(CE)
- Temperature: (130℃-230℃/260℉-450℉)







PTC heater
fast heat up

3 in 1 hair
straightener
& curler & brush

3D floating
plate

AC
motor

LCD
temperature
display

1 inch
plate

60 minutes
automatic
shutdown

MODEL:KR-FS02

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 185W-35W
- Temperature: 150-210°C





COOL AIR



康柔 KangRoad

2 PTC heater
30s fast heating

32mm oval barrel

Transparent LCD display

Rotary switch


60 minutes automatic shutdown

7 adjustable temperature

MODEL:KR-D06A

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 70W(cSGSus),70W(CE)
- Temperature:（80℃-210℃/180℉-410℉）







2 PTC heater
30s fast heating

25mm circle barrel

Transparent LCD display

Rotary switch


60 minutes automatic shutdown

7 adjustable temperature

MODEL:KR-D06B

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 65W(cSGSus),65W(CE)
- Temperature: (80℃-210℃/180℉-410℉)





Circle 25mm



康柔 KangRoad

PTC
2 PTC heater
30s fast heating

40mm oval barrel

LCD
Transparent LCD display

Rotary switch


60
60 minutes automatic shutdown

7 adjustable temperature

MODEL:KR-D06D

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 70W(cSGSus),70W(CE)
- Temperature:（80℃-210℃/180℉-410℉）







2 PTC heater
30s fast heating

32mm oval barrel

Transparent LCD display

Infrared function

Rotary switch

60 minutes automatic shutdown

7 adjustable temperature

MODEL:KR-D06PLUS

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 60W(cSGSus), 60W(CE)
- Temperature:（80℃-210℃/180℉-410℉）







康柔 KangRoad

PTC heater

25 or 32mm barrel

RGB colorful light


90°rotatable barrel

4 adjustable temperature

60 minutes automatic shutdown

MODEL:KR-D09A/B

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Temperature:（150℃-210℃/300℉-410℉）



PTC heater fast heating

32mm circle barrel

LCD temperature display


Smart timer

8 adjustable temperature

60 minutes automatic shutdown

MODEL:KR-D12

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 225W-260W
- Temperature: (120℃-210℃/250℉-410℉)
- 5 seconds for soft curls,8 seconds for beachy curls, 10 seconds for tight curls



Smart timer 5/8/10 seconds





康柔 KangRoad

Automatic hair curler

PTC heater

23mm barrel

RGB colorful light

Rotary switch


3 adjustable temperature


60 minutes automatic shutdown

Two-ways rotating

MODEL:KR-D10A

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 33W(cSGSus), 140W-100W (CE)
- Temperature: (150℃-210℃/300℉-410℉)







Automatic hair curler

PTC heater

23mm barrel

RGB colorful light

Rotary switch

3 adjustable temperature

60 minutes automatic shutdown

Two-ways rotating

MODEL:KR-D10B

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 33W(cSGSus), 140W-100W (CE)
- Temperature: (150℃-210℃/300℉-410℉)









Hot roller



Crease Free Clip
& Travel Bag

PTC heater
fast heating

Roller size
43x50mm
36x50mm

60 minutes
automatic
shutdown

Max
temperature
120℃

MODEL:KR-D11

- Dual Voltage: 100-240V
- Frequency: 50/60Hz
- Rated Wattage: 120W(CSA), 240W(UL), 135W(CE)




34#



43#









康柔 KangRoad

Adjustable temperature

60 minutes automatic shutdown

LCD temperature display

Rest function

Two-ways rotating

32mm circle barrel

MODEL:KR-D15

- Dual Voltage: 100-240V
- Frequency: 50/60Hz





Auto Rotation

Automatic hair curler



康柔 KangRoad

MODEL:KR-D04



Funnel 25mm | Spiral 25mm | Spiral 32mm | Bead 25mm



9-18mm | 19-25mm | 19-32mm | 25-32mm



19mm with clip | 25mm with clip | 32mm with clip | 19mm | 25mm | 32mm

PTC heater

60 minutes automatic shutdown

LCD temperature display

Temperature 80-230℃

- Dual Voltage: 110-240V
- Frequency: 50/60Hz
- Rated Wattage:60-95 W



Interchangeable



康柔 KangRoad

PTC heater

LCD display

Adjustable temperature 80-230℃

60 minutes automatic shutdown


20mm*3

Interchangeable



MODEL:KR-D03

- Dual Voltage: 100-240V,50/60Hz
- Power: 70W
- Temperature: (80℃-230℃/180℉-450℉)



9-18mm | 19-25mm | Bead 25mm | 32mm | 25mm | 19mm

PTC heater fast heating

3 adjustable temperature

60 minutes automatic shutdown

Millions negative ions

MODEL:KR-Z07

- Dual voltage: 100-240V,50-60Hz
- Power: 65W
- LED temperature display : 150-180-210℃
  300-350-410℉







康柔 KangRoad

PTC+ wire frame heating group dual-core heating


2 in 1 Hair straightening brush & Hot hair brush

DC motor

Millions ions

MODEL:KR-FS01

- Rating: 120Vac,50-60Hz,330W
- Rating: 220V-240V;50-60Hz;330W
- Temperature: 210°C







康柔 KangRoad

Double PTC heater fast heating

Adjustable temperature

LCD temperature display

38mm

Millions Plasma

60 minutes automatic shutdown

Cool air styling setting

Thermal Brush

MODEL:KR-D17

- Dual voltage: 100-240V,50-60Hz









康柔®
KangRoad

Fast heating

Adjustable temperature

Wireless

30mm

USB-Type C


LCD temperature display

MODEL:KR-D18











MODEL:KR-F12

BLDC Hot Air Brush



Dongguan KangRoad Electrical Technology Co.,LTD

Tel:86-769-87683518
Fax: 86-769-87683538
http://www.chinakangroad.com
http://chinakangroad.en.alibaba.com/
Add: JinChuan No.2 Rd, Jinchuan industrial Area, XieGang Town,
DongGuan City,GuangDong Province, China