

ZD Portable UAV jammer at soldier











Features:

- ❖ Backpack detection for 1.5 km drone; Attacking for 2-3km
- Light weight for around 8kg
- Cost effective
- High gain fiberglass antenna
- Link Backstrap switch



Specification	
Working Frequence	433M/900M/1.5G/2.4G/5.2G/5.8G Frequency can be customized
Output Power	≤140W
Battery Capacity	24V 25A/H
Countermeasure Capicity	Force to fly back
Countermeasure Distance	500~1000m
Countermeasure Angle	360°
Duration Performance	60min
Power Supply	33.6V
Size	108.5*37.5*22cm³



2. Handheld Detector









Features:

- Detecting for 1.5km
- Portable type
- Hanging on your shoulder or waist

Working frequency band	800~1500MHz, 2400~2485MHz(Frequency can be customized)
Identification type	DJI full series, mainstream WiFi, 5.8GHz image pass-through machine (FPV)
Device power supply	Replaceable lithium battery
Battery life	8 hours (dual battery)
Appearance size	135×62×38mm (including antenna)
Working weight	270g
Detection radius	3000m (specifically depends on the electromagnetic intensity of the use
	environment)
Detecting	1.5km
Attacking	2-3km




3. Gun with detection function









Features:

- Knock down is acceptable
- Portable
- Attacking for 2-3km
- Detecting for 1.5km



Working Frequence	433M/900M/1.2G/1.4G/1.5G/2.4G/5.2G/5.8G (Frequency can be customized)
Output Power	6 bands: 120W 8 bands: 160W
Signal Style	DSSS/FHSS
Gain of Antenna	14-18dBi
Battery Capacity	8500mah
Duration Performance	≥60min (Continuous emission) ≥600min (30s launch, 90s stop)
Product Weight	With pack: 10.6kg Whole product: 4.2kg, host: 2.8kg, battery 0.95kg, scope: 0.47kg
Product Size	host:620*260*70mm³, battery 174*98*52mm³,scope:230*65*85mm³
Working Mode	Independent Single Frequence Jamming
Scope magnification	3-10 times
Interference Distance	Flight Height 100m: ≥1.5km Flight Height 200m: ≥2km
Detecting	1.5km
Attacking	2-3km



4. UAV defense shield with detection function



Features:

- Portable type
- detection for 1.5km drone; Attacking for 2-3km

Working Frequence	845M/915M//1.2G/1.5G/2.4G/5.2G/5.8G Frequency can be customized
15ther	945/930M≥43dBm/1.2G≥43dBm/1.5G≥43dB
Output Power	m/2.4G
_aft ^t	≥47dBm/5.2G≥46dBm/5.8G≥48dBm
Interference Distance	≥2Km
Working Power Consumption	≤300W
Working Temperature	-30°~70°
Beam Countermeasure Angular	845M/915M: 60°1.2G/1.5G: 55°2.4G :
	+35°5.2G/5.8G: -40°
Battery Capacity	10000mAh
Interference Models	FPV Drone, Fixed-wing Aeroplane, 03+,
	03+Pro Video Tansmission and other brand
Standby Time	90 days
Operation Mode	LED (LED Touch Screen Control)
Size	Main product: 410*280* 100mm ³
Erik	screen: 106*67mm²
Weight	≤5.5Kg
Equipment Test	POST Function


ZDTECH°

5. Small Car Jammer





1. With high gain magnet antenna, can be mounted on the roof of the car





3.Switch Control in the car. You can control whether the jammer work or not by using switch in the car

- 4. Stable capability, cost-effective choice
- 5.Output power 150w make high jamming range Or customize other cellular standard in the world



	· · · · · · · · · · · · · · · · · · ·
Working Frequence	400-2700M 、 5.2G-5.8G(Frequency can be customized)
Output Power	C1: 50W C2: 100W C3: 150W C4: 200W
Total Power Consumption	150W
Average Output Power	47dBm
Interference Radius	2Km
Antenna	Omnidirectional antenna, Large suction cup spring Large suction spring antenna
Gain of the Antenna	≥5dBi
Working Temperature	-25℃~65℃
Power Supply	AC110-240V,DC24V ,charging
Product Weight	4.5Kg
Product Size	304* 184*78mm³
Detecting	1.5km
Attacking	2-3km
Attacking	2-3KM